

Published Indications for CBCT in OMS

Appendix 1

1. The evolving e-practice. Predictable visualization and imaging using three-dimensional cone beam technologies. *Pract Proced Aesthet Dent* 19:546, 2007.
2. The evolving e-practice. Utilization of cone beam computer tomography technologies for optimal implant placement. *Pract Proced Aesthet Dent* 20:614, 2008.
3. Abboud M, Orentlicher G: An open system approach for surgical guide production. *J Oral Maxillofac Surg* 69:e519, 2011.
4. Abboud M, Wahl G, Guirado JL, et al: Application and success of two stereolithographic surgical guide systems for implant placement with immediate loading. *Int J Oral Maxillofac Implants* 27:634, 2012.
5. Abdelkarim A, Green R, Startzell J, et al: Craniofacial polyostotic fibrous dysplasia: a case report and review of the literature. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 106:e49, 2008.
6. Abdel-Wahed N, Amer ME, Abo-Taleb NS: Assessment of the role of cone beam computed sialography in diagnosing salivary gland lesions. *Imaging Sci Dent* 43:17, 2013.
7. Aboul-Hosn Centenero S, Hernandez-Alfaro F: 3D planning in orthognathic surgery: CAD/CAM surgical splints and prediction of the soft and hard tissues results - our experience in 16 cases. *J Craniomaxillofac Surg* 40:162, 2012.
8. Abramson Z, Susarla SM, Lawler M, et al: Three-dimensional computed tomographic airway analysis of patients with obstructive sleep apnea treated by maxillomandibular advancement. *J Oral Maxillofac Surg* 69:677, 2011.
9. Adolphs N, Liu W, Keeve E, et al: Craniomaxillofacial surgery planning based on 3D models derived from Cone-Beam CT data. *Comput Aided Surg* 18:101, 2013.
10. Afrashtehfar KI, Cardenas-Bahena JT, Afrashtehfar CD: Predictable immediate loading of mandibular implants. *Tex Dent J* 130:596, 2013.
11. Agbaje JO, Jacobs R, Michiels K, et al: Bone healing after dental extractions in irradiated patients: a pilot study on a novel technique for volume assessment of healing tooth sockets. *Clin Oral Investig* 13:257, 2009.
12. Agbaje JO, Sun Y, De Munter S, et al: CBCT-based predictability of attachment of the neurovascular bundle to the proximal segment of the mandible during sagittal split osteotomy. *Int J Oral Maxillofac Surg* 42:308, 2013.
13. Aghaloo TL, Felsenfeld AL, Tetradis S: Osteonecrosis of the jaw in a patient on Denosumab. *J Oral Maxillofac Surg* 68:959, 2010.
14. Ahmad M, Freymiller E: Cone beam computed tomography: evaluation of maxillofacial pathology. *J Calif Dent Assoc* 38:41, 2010.
15. Ahmad M, Jenny J, Downie M: Application of cone beam computed tomography in oral and maxillofacial surgery. *Aust Dent J* 57 Suppl 1:82, 2012.
16. Aizenbud D, Ciceu C, Hazan-Molina H, et al: Relationship between inferior alveolar nerve imaging and neurosensory impairment following bilateral sagittal split osteotomy in skeletal Class III cases with mandibular prognathism. *Int J Oral Maxillofac Surg* 41:461, 2012.

17. Al-Ani O, Nambiar P, Ha KO, et al: Safe zone for bone harvesting from the interforaminal region of the mandible. *Clin Oral Implants Res* 24 Suppl A100:115, 2013.
18. Alexiou K, Stamatakis H, Tsiklakis K: Evaluation of the severity of temporomandibular joint osteoarthritic changes related to age using cone beam computed tomography. *Dentomaxillofac Radiol* 38:141, 2009.
19. Ali A, Ahmad M: Anatomical variations of the lingual mandibular canals and foramina. *Northwest Dent* 87:36, 2008.
20. Al-Jandan BA, Al-Sulaiman AA, Marei HF, et al: Thickness of buccal bone in the mandible and its clinical significance in mono-cortical screws placement. A CBCT analysis. *Int J Oral Maxillofac Surg* 42:77, 2013.
21. Alkhader M, Hudieb M: Comparison of mesiodistal space measurements of single-implant sites on panoramic and oblique images generated by cone-beam CT. *Surg Radiol Anat* 36:255, 2014.
22. Alkhader M, Kuribayashi A, Ohbayashi N, et al: Usefulness of cone beam computed tomography in temporomandibular joints with soft tissue pathology. *Dentomaxillofac Radiol* 39:343, 2010.
23. Alkhader M, Ohbayashi N, Tetsumura A, et al: Diagnostic performance of magnetic resonance imaging for detecting osseous abnormalities of the temporomandibular joint and its correlation with cone beam computed tomography. *Dentomaxillofac Radiol* 39:270, 2010.
24. Allareddy V, Vincent SD, Hellstein JW, et al: Incidental findings on cone beam computed tomography images. *Int J Dent* 2012:871532, 2012.
25. Almasan OC, Hedesiu M, Baciut G, et al: Nontraumatic bilateral bifid condyle and intermittent joint lock: a case report and literature review. *J Oral Maxillofac Surg* 69:e297, 2011.
26. Almeida FT, Leite AF, de Souza Figueiredo PT, et al: Dento-osseous anomalies associated to familial adenomatous polyposis mimicking florid cemento-osseous dysplasia. *J Craniomaxillofac Surg* 40:e498, 2012.
27. Almeida RC, Cevidanes LH, Carvalho FA, et al: Soft tissue response to mandibular advancement using 3D CBCT scanning. *Int J Oral Maxillofac Surg* 40:353, 2011.
28. Almog DM: Restricting preoperative diagnosis to two-dimensional images in oral implantology can potentially cause implant failures. *Alpha Omegan* 103:136, 2010.
29. Almog DM, Ferrara M, Cheng K: Veteran's shrapnel in the maxillofacial region. *Alpha Omegan* 103:157, 2010.
30. Almog DM, LaMar J, LaMar FR, et al: Cone beam computerized tomography-based dental imaging for implant planning and surgical guidance, Part 1: Single implant in the mandibular molar region. *J Oral Implantol* 32:77, 2006.
31. Alqerban A, Jacobs R, Fieuws S, et al: Comparison of two cone beam computed tomographic systems versus panoramic imaging for localization of impacted maxillary canines and detection of root resorption. *Eur J Orthod* 33:93, 2011.
32. Alqerban A, Jacobs R, Lambrechts P, et al: Root resorption of the maxillary lateral incisor caused by impacted canine: a literature review. *Clin Oral Investig* 13:247, 2009.
33. Alsufyani NA, Al-Saleh MA, Major PW: CBCT assessment of upper airway changes and treatment outcomes of obstructive sleep apnoea: a systematic review. *Sleep Breath* 17:911, 2013.

34. Altintas NY, Senel FC, Kayipmaz S, et al: Comparative radiologic analyses of newly formed bone after maxillary sinus augmentation with and without bone grafting. *J Oral Maxillofac Surg* 71:1520, 2013.
35. Amirlak B, Tang CJ, Becker D, et al: Volumetric analysis of simulated alveolar cleft defects and bone grafts using cone beam computed tomography. *Plast Reconstr Surg* 131:854, 2013.
36. Amorfini L, Migliorati M, Signori A, et al: Block Allograft Technique versus Standard Guided Bone Regeneration: A Randomized Clinical Trial. *Clin Implant Dent Relat Res*, 2013.
37. An S, Wang J, Li J, et al: Comparison of methods for localization of impacted maxillary canines by panoramic radiographs. *Dentomaxillofac Radiol* 42:20130129, 2013.
38. Angelopoulos C: Cone beam tomographic imaging anatomy of the maxillofacial region. *Dent Clin North Am* 52:731, 2008.
39. Angelopoulos C, Aghaloo T: Imaging technology in implant diagnosis. *Dent Clin North Am* 55:141, 2011.
40. Angelopoulos C, Thomas SL, Hechler S, et al: Comparison between digital panoramic radiography and cone-beam computed tomography for the identification of the mandibular canal as part of presurgical dental implant assessment. *J Oral Maxillofac Surg* 66:2130, 2008.
41. Aparicio C: A proposed classification for zygomatic implant patient based on the zygoma anatomy guided approach (ZAGA): a cross-sectional survey. *Eur J Oral Implantol* 4:269, 2011.
42. Apinhasmit W, Sinpitaksakul P, Chompoopong S: Anatomical considerations of the Thai fibula used as a fibula osteocutaneous free flap in mandibular reconstruction and dental implant placement. *J Med Assoc Thai* 95:561, 2012.
43. Apostolakis D, Brown JE: The anterior loop of the inferior alveolar nerve: prevalence, measurement of its length and a recommendation for interforaminal implant installation based on cone beam CT imaging. *Clin Oral Implants Res* 23:1022, 2012.
44. Apostolakis D, Brown JE: The dimensions of the mandibular incisive canal and its spatial relationship to various anatomical landmarks of the mandible: a study using cone beam computed tomography. *Int J Oral Maxillofac Implants* 28:117, 2013.
45. Aps JK: Number of accessory or nutrient canals in the human mandible. *Clin Oral Investig* 18:671, 2014.
46. Araki M, Kameoka S, Matsumoto N, et al: Usefulness of cone beam computed tomography for odontogenic myxoma. *Dentomaxillofac Radiol* 36:423, 2007.
47. Araki M, Matsumoto N, Matsumoto K, et al: Asymptomatic radiopaque lesions of the jaws: a radiographic study using cone-beam computed tomography. *J Oral Sci* 53:439, 2011.
48. Aranyarachkul P, Caruso J, Gantes B, et al: Bone density assessments of dental implant sites: 2. Quantitative cone-beam computerized tomography. *Int J Oral Maxillofac Implants* 20:416, 2005.
49. Arisan V, Karabuda CZ, Ozdemir T: Implant surgery using bone- and mucosa-supported stereolithographic guides in totally edentulous jaws: surgical and post-operative outcomes of computer-aided vs. standard techniques. *Clin Oral Implants Res* 21:980, 2010.

50. Arisan V, Karabuda ZC, Piskin B, et al: Conventional multi-slice computed tomography (CT) and cone-beam CT (CBCT) for computer-aided implant placement. Part II: reliability of mucosa-supported stereolithographic guides. *Clin Implant Dent Relat Res* 15:907, 2013.
51. Arora S, Lamba AK, Faraz F, et al: Role of cone beam computed tomography in rehabilitation of a traumatised deficient maxillary alveolar ridge using symphyseal block graft placement. *Case Rep Dent* 2013:748405, 2013.
52. Assaf AT, Benecke AW, Riecke B, et al: Craniofacial fibrous dysplasia (CFD) of the maxilla in an 11-year old boy: a case report. *J Craniomaxillofac Surg* 40:788, 2012.
53. Atef M, Hakam MM, Elfaramawey MI, et al: Nongrafted Sinus Floor Elevation with a Space-Maintaining Titanium Mesh: Case-Series Study on Four Patients. *Clin Implant Dent Relat Res*, 2013.
54. Avila G, Wang HL, Galindo-Moreno P, et al: The influence of the bucco-palatal distance on sinus augmentation outcomes. *J Periodontol* 81:1041, 2010.
55. Avila-Ortiz G, Neiva R, Galindo-Moreno P, et al: Analysis of the influence of residual alveolar bone height on sinus augmentation outcomes. *Clin Oral Implants Res* 23:1082, 2012.
56. Avila-Ortiz G, Wang HL, Galindo-Moreno P, et al: Influence of lateral window dimensions on vital bone formation following maxillary sinus augmentation. *Int J Oral Maxillofac Implants* 27:1230, 2012.
57. Babbush CA, Brokloff J: A single-center retrospective analysis of 1001 consecutively placed NobelActive implants. *Implant Dent* 21:28, 2012.
58. Babbush CA, Kutsko GT, Brokloff J: The all-on-four immediate function treatment concept with NobelActive implants: a retrospective study. *J Oral Implantol* 37:431, 2011.
59. Baciut M, Hedesiu M, Bran S, et al: Pre- and postoperative assessment of sinus grafting procedures using cone-beam computed tomography compared with panoramic radiographs. *Clin Oral Implants Res* 24:512, 2013.
60. Balaji SM: Buried broken extraction instrument fragment. *Ann Maxillofac Surg* 3:93, 2013.
61. Balaji SM, Krishnaswamy NR, Kumar SM, et al: Inferior alveolar nerve canal position among South Indians: A cone beam computed tomographic pilot study. *Ann Maxillofac Surg* 2:51, 2012.
62. Balasundaram A, Geist JR, Gordon SC, et al: Radiographic diagnosis of synovial chondromatosis of the temporomandibular joint: a case report. *J Can Dent Assoc* 75:711, 2009.
63. Balshi T, Wolfinger G, Balshi S: Using computer-guided surgery for partial guidance of zygoma implants. *Compend Contin Educ Dent* 33:682, 2012.
64. Balshi TJ, Wolfinger GJ, Shuscavage NJ, et al: Zygomatic bone-to-implant contact in 77 patients with partially or completely edentulous maxillas. *J Oral Maxillofac Surg* 70:2065, 2012.
65. Bansal V, Singh S, Garg N, et al: Transport distraction osteogenesis as a method of reconstruction of the temporomandibular joint following gap arthroplasty for post-traumatic ankylosis in children: a clinical and radiological prospective assessment of outcome. *Int J Oral Maxillofac Surg* 43:227, 2014.
66. Barghan S, Merrill R, Tetradis S: Cone beam computed tomography imaging in the evaluation of the temporomandibular joint. *J Calif Dent Assoc* 38:33, 2010.

67. Barghan S, Merrill R, Tetradis S: Cone beam computed tomography imaging in the evaluation of the temporomandibular joint. *Tex Dent J* 129:289, 2012.
68. Barghan S, Tetradis S, Mallya S: Application of cone beam computed tomography for assessment of the temporomandibular joints. *Aust Dent J* 57 Suppl 1:109, 2012.
69. Barragan-Adjemian C, Lausten L, Ang DB, et al: Bisphosphonate-related osteonecrosis of the jaw: model and diagnosis with cone beam computerized tomography. *Cells Tissues Organs* 189:284, 2009.
70. Basa O, Dilek OC: Assessment of the risk of perforation of the mandibular canal by implant drill using density and thickness parameters. *Gerodontology* 28:213, 2011.
71. Bashutski JD, Wang HL, Rudek I, et al: Effect of flapless surgery on single-tooth implants in the esthetic zone: a randomized clinical trial. *J Periodontol* 84:1747, 2013.
72. Bateli M, Woerner W, Att W: Tilted implants to support a maxillary removable dental prosthesis: a case report. *Quintessence Int* 43:191, 2012.
73. Becker A, Chaushu S, Casap-Caspi N: Cone-beam computed tomography and the orthosurgical management of impacted teeth. *J Am Dent Assoc* 141 Suppl 3:14S, 2010.
74. Bedoya MM, Park JH: A review of the diagnosis and management of impacted maxillary canines. *J Am Dent Assoc* 140:1485, 2009.
75. Behneke A, Burwinkel M, Knierim K, et al: Accuracy assessment of cone beam computed tomography-derived laboratory-based surgical templates on partially edentulous patients. *Clin Oral Implants Res* 23:137, 2012.
76. Behnia H, Khojasteh A, Soleimani M, et al: Repair of alveolar cleft defect with mesenchymal stem cells and platelet derived growth factors: a preliminary report. *J Craniomaxillofac Surg* 40:2, 2012.
77. Belina S, Cuk V, Klapan I: Virtual endoscopy and 3D volume rendering in the management of frontal sinus fractures. *Coll Antropol* 33 Suppl 2:43, 2009.
78. Benavides E, Rios HF, Ganz SD, et al: Use of cone beam computed tomography in implant dentistry: the International Congress of Oral Implantologists consensus report. *Implant Dent* 21:78, 2012.
79. Benic GI, Mokti M, Chen CJ, et al: Dimensions of buccal bone and mucosa at immediately placed implants after 7 years: a clinical and cone beam computed tomography study. *Clin Oral Implants Res* 23:560, 2012.
80. Benlidayi ME, Tatli U, Kurkcü M, et al: Comparison of bovine-derived hydroxyapatite and autogenous bone for secondary alveolar bone grafting in patients with alveolar clefts. *J Oral Maxillofac Surg* 70:e95, 2012.
81. Bennemann R, Baxmann M, Keilig L, et al: Evaluating miniscrew position using orthopantomograms compared to cone-beam computed tomography. *J Orofac Orthop* 73:236, 2012.
82. Benninger B, Peterson A, Cook V: Assessing validity of actual tooth height and width from cone beam images of cadavers with subsequent dissection to aid oral surgery. *J Oral Maxillofac Surg* 70:302, 2012.
83. Benoliel R, Zadik Y, Eliav E, et al: Peripheral painful traumatic trigeminal neuropathy: clinical features in 91 cases and proposal of novel diagnostic criteria. *J Orofac Pain* 26:49, 2012.
84. Bereznicki T, Dawood A: The creation of an emergence profile, Part I. Using an interim restoration as an aid to implant positioning. *Dent Today* 31:126, 2012.

85. Bernades-Mayordomo R, Guijarro-Martinez R, Hernandez-Alfaro F: Volumetric CBCT analysis of the palatine process of the anterior maxilla: a potential source for bone grafts. *Int J Oral Maxillofac Surg* 42:406, 2013.
86. Bettschart C, Kruse A, Matthews F, et al: Point-to-point registration with mandibulo-maxillary splint in open and closed jaw position. Evaluation of registration accuracy for computer-aided surgery of the mandible. *J Craniomaxillofac Surg* 40:592, 2012.
87. Bhatavadekar NB, Bouquot JE: The use of digital volume tomography in imaging an unusually large composite odontoma in the mandible. *Pediatr Dent* 31:438, 2009.
88. Bianchi A, Muyldermans L, Di Martino M, et al: Facial soft tissue esthetic predictions: validation in craniomaxillofacial surgery with cone beam computed tomography data. *J Oral Maxillofac Surg* 68:1471, 2010.
89. Blake FA, Blessmann M, Pohlenz P, et al: A new imaging modality for intraoperative evaluation of sinus floor augmentation. *Int J Oral Maxillofac Surg* 37:183, 2008.
90. Blessmann M, Pohlenz P, Blake FA, et al: Validation of a new training tool for ultrasound as a diagnostic modality in suspected midfacial fractures. *Int J Oral Maxillofac Surg* 36:501, 2007.
91. Block MS: Placement of implants into fresh molar sites: results of 35 cases. *J Oral Maxillofac Surg* 69:170, 2011.
92. Block MS, Ducote CW, Mercante DE: Horizontal augmentation of thin maxillary ridge with bovine particulate xenograft is stable during 500 days of follow-up: preliminary results of 12 consecutive patients. *J Oral Maxillofac Surg* 70:1321, 2012.
93. Block MS, Haggerty CJ: Interpositional osteotomy for posterior mandible ridge augmentation. *J Oral Maxillofac Surg* 67:31, 2009.
94. Block MS, Kelley B: Horizontal posterior ridge augmentation: the use of a collagen membrane over a bovine particulate graft: technique note. *J Oral Maxillofac Surg* 71:1513, 2013.
95. Boeddinghaus R, Whyte A: Current concepts in maxillofacial imaging. *Eur J Radiol* 66:396, 2008.
96. Boffano P, Gallesio C: Peculiar case of orthokeratinised odontogenic cyst: a peripheral counterpart of the intraosseous entity? *Br J Oral Maxillofac Surg* 50:e75, 2012.
97. Boland FX, Drikes S, Persac S, et al: [Gingivoperiosteoplasty associated to bone graft: radiological evaluation]. *Rev Stomatol Chir Maxillofac* 110:193, 2009.
98. Borgonovo AE, Grossi GB, Maridati PC, et al: Juvenile paradental cyst: presentation of a rare case involving second molar. *Minerva Stomatol* 62:397, 2013.
99. Bornstein MM, Balsiger R, Sendi P, et al: Morphology of the nasopalatine canal and dental implant surgery: a radiographic analysis of 100 consecutive patients using limited cone-beam computed tomography. *Clin Oral Implants Res* 22:295, 2011.
100. Bornstein MM, von Arx T, Altermatt HJ: Loss of pulp sensitivity and pain as the first symptoms of a Ewing's sarcoma in the right maxillary sinus and alveolar process: report of a case. *J Endod* 34:1549, 2008.
101. Bornstein MM, Wiest R, Balsiger R, et al: Anterior Stafne's bone cavity mimicking a periapical lesion of endodontic origin: report of two cases. *J Endod* 35:1598, 2009.
102. Bortoluzzi MC, Manfro R: Treatment for ectopic third molar in the subcondylar region planned with cone beam computed tomography: a case report. *J Oral Maxillofac Surg* 68:870, 2010.

103. Botticelli S, Verna C, Cattaneo PM, et al: Two- versus three-dimensional imaging in subjects with unerupted maxillary canines. *Eur J Orthod* 33:344, 2011.
104. Bousquet F, Joyard M: Surgical navigation for implant placement using transtomography. *Clin Oral Implants Res* 19:724, 2008.
105. Brauer HU: Case report: non-syndromic multiple supernumerary teeth localized by cone beam computed tomography. *Eur Arch Paediatr Dent* 11:41, 2010.
106. Brauer HU, Diaz C, Manegold-Brauer G: Radiographic assessment of a keratocystic odontogenic tumour using cone-beam computed tomography. *Eur Arch Paediatr Dent* 14:173, 2013.
107. Bremke M, Wiegand S, Sesterhenn AM, et al: Digital volume tomography in the diagnosis of nasal bone fractures. *Rhinology* 47:126, 2009.
108. Brisco J, Fuller K, Lee N, et al: Cone beam computed tomography for imaging orbital trauma--image quality and radiation dose compared with conventional multislice computed tomography. *Br J Oral Maxillofac Surg* 52:76, 2014.
109. Brito-Junior M, Quintino AF, Camilo CC, et al: Nonsurgical endodontic management using MTA for perforative defect of internal root resorption: report of a long term follow-up. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 110:784, 2010.
110. Brownfield LA, Weltman RL: Ridge preservation with or without an osteoinductive allograft: a clinical, radiographic, micro-computed tomography, and histologic study evaluating dimensional changes and new bone formation of the alveolar ridge. *J Periodontol* 83:581, 2012.
111. Brugger OE, Reichart PA, Werder P, et al: Asymptomatic ossifying fibroma of the mandible: a case presentation. *Quintessence Int* 43:381, 2012.
112. Buric N, Jovanovic G, Tijanac M: Usefulness of cone-beam CT for presurgical assessment of keratoma (cholesteatoma) of the maxillary sinus. *Head Neck* 35:E221, 2013.
113. Buser D, Chappuis V, Kuchler U, et al: Long-term stability of early implant placement with contour augmentation. *J Dent Res* 92:176S, 2013.
114. Butura CC, Galindo DF, Cottam J, et al: Hourglass mandibular anatomic variant incidence and treatment considerations for all-on-four implant therapy: report of 10 cases. *J Oral Maxillofac Surg* 69:2135, 2011.
115. Cachalia H, Howes DG, Owen CP: Stabilising a planning guide in post-mandibulectomy prosthodontic rehabilitation. *SADJ* 67:406, 2012.
116. Cakur B, Sumbullu MA, Dagistan S, et al: The importance of cone beam CT in the radiological detection of osteomalacia. *Dentomaxillofac Radiol* 41:84, 2012.
117. Cakur B, Sumbullu MA, Durna NB: Aplasia and agenesis of the frontal sinus in Turkish individuals: a retrospective study using dental volumetric tomography. *Int J Med Sci* 8:278, 2011.
118. Campbell PD, Jr., Zinreich SJ, Aygun N: Imaging of the paranasal sinuses and in-office CT. *Otolaryngol Clin North Am* 42:753, 2009.
119. Cankaya AB, Erdem MA, Olgac V, et al: Focal cemento-osseous dysplasia of mandible. *BMJ Case Rep* 2012, 2012.
120. Cantekin K, Sekerci AE, Buyuk SK: Dental computed tomographic imaging as age estimation: morphological analysis of the third molar of a group of Turkish population. *Am J Forensic Med Pathol* 34:357, 2013.

121. Cantelmi P, Singer SR, Tamari K: Dental caries in an impacted mandibular second molar: using cone beam computed tomography to explain inconsistent clinical and radiographic findings. *Quintessence Int* 41:627, 2010.
122. Carvalho Fde A, Cevidanes LH, da Motta AT, et al: Three-dimensional assessment of mandibular advancement 1 year after surgery. *Am J Orthod Dentofacial Orthop* 137:S53 e1, 2010.
123. Cavalcanti JR, Vasconcelos BC, Porto GG, et al: Treatment of chronic mandibular dislocations using a new miniplate. *Int J Oral Maxillofac Surg* 40:1424, 2011.
124. Cavaleiro RM, Pinheiro M, Pinheiro LR, et al: Dentomaxillofacial manifestations of mucopolysaccharidosis VI: clinical and imaging findings from two cases, with an emphasis on the temporomandibular joint. *Oral Surg Oral Med Oral Pathol Oral Radiol* 116:e141, 2013.
125. Celikoglu M, Halicioglu K, Buyuk SK, et al: Condylar and ramal vertical asymmetry in adolescent patients with cleft lip and palate evaluated with cone-beam computed tomography. *Am J Orthod Dentofacial Orthop* 144:691, 2013.
126. Cevidanes L, Baccetti T, Franchi L, et al: Comparison of two protocols for maxillary protraction: bone anchors versus face mask with rapid maxillary expansion. *Angle Orthod* 80:799, 2010.
127. Cevidanes LH, Bailey LJ, Tucker GR, Jr., et al: Superimposition of 3D cone-beam CT models of orthognathic surgery patients. *Dentomaxillofac Radiol* 34:369, 2005.
128. Cevidanes LH, Bailey LJ, Tucker SF, et al: Three-dimensional cone-beam computed tomography for assessment of mandibular changes after orthognathic surgery. *Am J Orthod Dentofacial Orthop* 131:44, 2007.
129. Cevidanes LH, Hajati AK, Paniagua B, et al: Quantification of condylar resorption in temporomandibular joint osteoarthritis. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 110:110, 2010.
130. Chan HL, Benavides E, Yeh CY, et al: Risk assessment of lingual plate perforation in posterior mandibular region: a virtual implant placement study using cone-beam computed tomography. *J Periodontol* 82:129, 2011.
131. Chan HL, Brooks SL, Fu JH, et al: Cross-sectional analysis of the mandibular lingual concavity using cone beam computed tomography. *Clin Oral Implants Res* 22:201, 2011.
132. Chan HL, Misch K, Wang HL: Dental imaging in implant treatment planning. *Implant Dent* 19:288, 2010.
133. Chan HL, Monje A, Suarez F, et al: Palatonasal recess on medial wall of the maxillary sinus and clinical implications for sinus augmentation via lateral window approach. *J Periodontol* 84:1087, 2013.
134. Chan HL, Suarez F, Monje A, et al: Evaluation of maxillary sinus width on cone-beam computed tomography for sinus augmentation and new sinus classification based on sinus width. *Clin Oral Implants Res* 25:647, 2014.
135. Chaves Netto HD, Nascimento FF, Chaves M, et al: TMJ ankylosis after neonatal septic arthritis: literature review and two case reports. *Oral Maxillofac Surg* 15:113, 2011.
136. Chen LC, Lundgren T, Hallstrom H, et al: Comparison of different methods of assessing alveolar ridge dimensions prior to dental implant placement. *J Periodontol* 79:401, 2008.
137. Chen Q, Liu DG, Zhang G, et al: [Relationship between the impacted mandibular third molar and the mandibular canal on panoramic radiograph and cone beam computed tomography]. *Zhonghua Kou Qiang Yi Xue Za Zhi* 44:217, 2009.

138. Chen S, Lei J, Wang X, et al: Short- and long-term changes of condylar position after bilateral sagittal split ramus osteotomy for mandibular advancement in combination with Le Fort I osteotomy evaluated by cone-beam computed tomography. *J Oral Maxillofac Surg* 71:1956, 2013.
139. Chenin DL: 3D cephalometrics: the new norm. *Alpha Omegan* 103:51, 2010.
140. Cheung LK, Ow A, Chua HD: Simultaneous modified oblique Le Fort III and segmentalized Le Fort I osteotomies. *J Oral Maxillofac Surg* 68:915, 2010.
141. Chindasombatjaroen J, Poomsawat S, Klongnoi B: Calcifying cystic odontogenic tumor associated with other lesions: case report with cone-beam computed tomography findings. *Oral Surg Oral Med Oral Pathol Oral Radiol* 113:414, 2012.
142. Cho BH, Jung YH: Osteoarthritic changes and condylar positioning of the temporomandibular joint in Korean children and adolescents. *Imaging Sci Dent* 42:169, 2012.
143. Cho BH, Jung YH: Nontraumatic bifid mandibular condyles in asymptomatic and symptomatic temporomandibular joint subjects. *Imaging Sci Dent* 43:25, 2013.
144. Cho HJ: Effect of rigid fixation on orthodontic finishing after mandibular bilateral sagittal split setback: the case for miniplate monocortical fixation. *J Oral Maxillofac Surg* 70:e310, 2012.
145. Cho YB, Moon SJ, Chung CH, et al: Resorption of labial bone in maxillary anterior implant. *J Adv Prosthodont* 3:85, 2011.
146. Choi HS, Choi HG, Kim SH, et al: Influence of the Alveolar Cleft Type on Preoperative Estimation Using 3D CT Assessment for Alveolar Cleft. *Arch Plast Surg* 39:477, 2012.
147. Choi JW, Kraut RA: Management of central giant granuloma of mandible with intralesional triamcinolone injections: a case report. *N Y State Dent J* 79:34, 2013.
148. Choudhary AB, Motwani MB, Degwekar SS, et al: Utility of digital volume tomography in maxillofacial trauma. *J Oral Maxillofac Surg* 69:e135, 2011.
149. Chow J, Wat P, Hui E, et al: A new method to eliminate the risk of maxillary sinusitis with zygomatic implants. *Int J Oral Maxillofac Implants* 25:1233, 2010.
150. Christie KF, Boucher N, Chung CH: Effects of bonded rapid palatal expansion on the transverse dimensions of the maxilla: a cone-beam computed tomography study. *Am J Orthod Dentofacial Orthop* 137:S79, 2010.
151. Closmann JJ, Schmidt BL: The use of cone beam computed tomography as an aid in evaluating and treatment planning for mandibular cancer. *J Oral Maxillofac Surg* 65:766, 2007.
152. Cooper LF, Pin-Harry OC: "Rules of Six"--diagnostic and therapeutic guidelines for single-tooth implant success. *Compend Contin Educ Dent* 34:94, 2013.
153. Correa LR, Spin-Neto R, Stavropoulos A, et al: Planning of dental implant size with digital panoramic radiographs, CBCT-generated panoramic images, and CBCT cross-sectional images. *Clin Oral Implants Res* 25:690, 2014.
154. Cortes AR, Cortes DN, Arita ES: Cone beam computed tomographic evaluation of a maxillary alveolar ridge reconstruction with iliac crest graft and implants. *J Craniofac Surg* 23:e12, 2012.
155. Coscia G, Coscia V, Peluso V, et al: Augmented corticotomy combined with accelerated orthodontic forces in class III orthognathic patients: morphologic aspects of the mandibular anterior ridge with cone-beam computed tomography. *J Oral Maxillofac Surg* 71:1760 e1, 2013.

156. Costa FW, Vasconcelos MG, de Queiroz LM, et al: Ulcerated anterior maxillary swelling showing radiopaque bodies on cone beam computed tomography. *J Craniofac Surg* 24:2193, 2013.
157. Cotti E: Advanced techniques for detecting lesions in bone. *Dent Clin North Am* 54:215, 2010.
158. Cushen SE, Turkyilmaz I: Impact of operator experience on the accuracy of implant placement with stereolithographic surgical templates: an in vitro study. *J Prosthet Dent* 109:248, 2013.
159. da Motta AT, de Assis Ribeiro Carvalho F, Oliveira AE, et al: Superimposition of 3D cone-beam CT models in orthognathic surgery. *Dental Press J Orthod* 15:39, 2010.
160. Dagassan-Berndt DC, Zitzmann NU, Lambrecht JT, et al: Is the Schneiderian membrane thickness affected by periodontal disease? A cone beam computed tomography-based extended case series. *J Int Acad Periodontol* 15:75, 2013.
161. Dai J, Hu G, Wang X, et al: CBCT combining with plaster models: application in virtual three-dimensional subapical segmental osteotomy to obtain more precise occlusal splint. *J Craniofac Surg* 23:1759, 2012.
162. Dalessandri D, Migliorati M, Rubiano R, et al: Reliability of a novel CBCT-based 3D classification system for maxillary canine impactions in orthodontics: the KPG index. *ScientificWorldJournal* 2013:921234, 2013.
163. Dalili Z, Adham G: Intraosseous neurofibroma and concurrent involvement of the mandible, maxilla and orbit: report of a case. *Iran J Radiol* 9:45, 2012.
164. Dalili Z, Khaki N, Kia SJ, et al: Assessing joint space and condylar position in the people with normal function of temporomandibular joint with cone-beam computed tomography. *Dent Res J (Isfahan)* 9:607, 2012.
165. Damstra J, Fourie Z, De Wit M, et al: A three-dimensional comparison of a morphometric and conventional cephalometric midsagittal planes for craniofacial asymmetry. *Clin Oral Investig* 16:285, 2012.
166. Danforth RA, Peck J, Hall P: Cone beam volume tomography: an imaging option for diagnosis of complex mandibular third molar anatomical relationships. *J Calif Dent Assoc* 31:847, 2003.
167. De Ceulaer J, Swennen G, Abeloos J, et al: Presentation of a cone-beam CT scanning protocol for preprosthetic cranial bone grafting of the atrophic maxilla. *Int J Oral Maxillofac Surg* 41:863, 2012.
168. de Freitas RM, Susin C, Spin-Neto R, et al: Horizontal ridge augmentation of the atrophic anterior maxilla using rhBMP-2/ACS or autogenous bone grafts: a proof-of-concept randomized clinical trial. *J Clin Periodontol* 40:968, 2013.
169. de Mattos AM, Queiroz CS, Santos PL, et al: Antrum approach planning for removal of impacted tooth using cone-beam computed tomography. *Open Dent J* 6:90, 2012.
170. de Oliveira-Santos C, Rubira-Bullen IR, Monteiro SA, et al: Neurovascular anatomical variations in the anterior palate observed on CBCT images. *Clin Oral Implants Res* 24:1044, 2013.
171. de Oliveira-Santos C, Souza PH, de Azambuja Berti-Couto S, et al: Assessment of variations of the mandibular canal through cone beam computed tomography. *Clin Oral Investig* 16:387, 2012.

172. de Paula LK, Ruellas AC, Paniagua B, et al: One-year assessment of surgical outcomes in Class III patients using cone beam computed tomography. *Int J Oral Maxillofac Surg* 42:780, 2013.
173. de Paula-Silva FW, Wu MK, Leonardo MR, et al: Accuracy of periapical radiography and cone-beam computed tomography scans in diagnosing apical periodontitis using histopathological findings as a gold standard. *J Endod* 35:1009, 2009.
174. de Souza Carvalho AC, Magro Filho O, Garcia IR, Jr., et al: Cephalometric and three-dimensional assessment of superior posterior airway space after maxillomandibular advancement. *Int J Oral Maxillofac Surg* 41:1102, 2012.
175. de Souza Tolentino E, Centurion BS, Lima MC, et al: Ameloblastic fibro-odontoma: a diagnostic challenge. *Int J Dent* 2010, 2010.
176. De Stavola L, Tunkel J: A new approach to maintenance of regenerated autogenous bone volume: delayed relining with xenograft and resorbable membrane. *Int J Oral Maxillofac Implants* 28:1062, 2013.
177. Degidi M, Daprile G, Nardi D, et al: Buccal bone plate in immediately placed and restored implant with Bio-Oss((R)) collagen graft: a 1-year follow-up study. *Clin Oral Implants Res*, 2012.
178. Degidi M, Nardi D, Daprile G, et al: Buccal bone plate in the immediately placed and restored maxillary single implant: a 7-year retrospective study using computed tomography. *Implant Dent* 21:62, 2012.
179. Degidi M, Nardi D, Daprile G, et al: Nonremoval of Immediate Abutments in Cases Involving Subcrestally Placed Postextractive Tapered Single Implants: A Randomized Controlled Clinical Study. *Clin Implant Dent Relat Res*, 2013.
180. Del Neri NB, Araujo-Pires AC, Andreo JC, et al: Zygomaticofacial foramen location accuracy and reliability in cone-beam computed tomography. *Acta Odontol Scand* 72:157, 2014.
181. Delilbasi C, Orhan K, Icen M, et al: Evaluation of articular eminence pneumatization using cone beam computed tomography. *Minerva Stomatol* 62:349, 2013.
182. Demetriades N, Park JI, Laskarides C: Alternative bone expansion technique for implant placement in atrophic edentulous maxilla and mandible. *J Oral Implantol* 37:463, 2011.
183. Derhalli M, Mounce RE: Clinical decision making regarding endodontics versus implants. *Compend Contin Educ Dent* 32:24, 2011.
184. Di Bari R, Coronelli R, Cicconetti A: Radiographic evaluation of the symphysis menti as a donor site for an autologous bone graft in pre-implant surgery. *Imaging Sci Dent* 43:135, 2013.
185. Di Giacomo GA, da Silva JV, da Silva AM, et al: Accuracy and complications of computer-designed selective laser sintering surgical guides for flapless dental implant placement and immediate definitive prosthesis installation. *J Periodontol* 83:410, 2012.
186. Diez GF, Fontao FN, Bassi AP, et al: Tomographic follow-up of bone regeneration after bone block harvesting from the mandibular ramus. *Int J Oral Maxillofac Surg* 43:335, 2014.
187. Dikicier S, Dikicier E, Karacayli U: Maxillary sinus augmentation and implant placement using venous blood without grant material. A case letter. *J Oral Implantol*, 2012 November.

188. Dolekoglu S, Fisekcioglu E, Ilguy D, et al: Diagnosis of jaw and dentoalveolar fractures in a traumatized patient with cone beam computed tomography. *Dent Traumatol* 26:200, 2010.
189. Donizeth-Rodrigues C, Fonseca-Da Silveira M, Goncalves-De Alencar AH, et al: Three-dimensional images contribute to the diagnosis of mucous retention cyst in maxillary sinus. *Med Oral Patol Oral Cir Bucal* 18:e151, 2013.
190. dos Anjos Pontual ML, Freire JS, Barbosa JM, et al: Evaluation of bone changes in the temporomandibular joint using cone beam CT. *Dentomaxillofac Radiol* 41:24, 2012.
191. dos Santos Neto P, dos Santos L, Coletta RD, et al: Imaging evaluation of the gingival fibromatosis and dental abnormalities syndrome. *Dentomaxillofac Radiol* 40:236, 2011.
192. Draenert FG, Coppenrath E, Herzog P, et al: Beam hardening artefacts occur in dental implant scans with the NewTom cone beam CT but not with the dental 4-row multidetector CT. *Dentomaxillofac Radiol* 36:198, 2007.
193. Draenert FG, Erbe C, Zenglein V, et al: 3D analysis of condylar position after sagittal split osteotomy of the mandible in mono- and bimaxillary orthognathic surgery - a methodology study in 18 patients. *J Orofac Orthop* 71:421, 2010.
194. Drage NA, Brown JE: Cone beam computed sialography of sialoliths. *Dentomaxillofac Radiol* 38:301, 2009.
195. Drage NA, Sivarajasingam V: The use of cone beam computed tomography in the management of isolated orbital floor fractures. *Br J Oral Maxillofac Surg* 47:65, 2009.
196. Drago C, del Castillo R, Peterson T: Immediate occlusal loading in edentulous jaws, CT-guided surgery and fixed provisional prosthesis: a maxillary arch clinical report. *J Prosthodont* 20:209, 2011.
197. Dreiseidler T, Mischkowski RA, Neugebauer J, et al: Comparison of cone-beam imaging with orthopantomography and computerized tomography for assessment in presurgical implant dentistry. *Int J Oral Maxillofac Implants* 24:216, 2009.
198. Dreiseidler T, Ritter L, Rothamel D, et al: Salivary calculus diagnosis with 3-dimensional cone-beam computed tomography. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 110:94, 2010.
199. Dreiseidler T, Tandon D, Kreppel M, et al: CBCT device dependency on the transfer accuracy from computer-aided implantology procedures. *Clin Oral Implants Res* 23:1089, 2012.
200. Ebner FH, Kurschner V, Dietz K, et al: Craniometric changes in patients with acromegaly from a surgical perspective. *Neurosurg Focus* 29:E3, 2010.
201. Edwards PC, Kanjirath PP, Norton NS, et al: Developmental oronasal fistula of the incisive papilla. *Gen Dent* 58:62, 2010.
202. Edwards SP: Computer-assisted craniomaxillofacial surgery. *Oral Maxillofac Surg Clin North Am* 22:117, 2010.
203. Egbert N, Ahuja S, Brandt R, et al: Single tooth replacement utilizing implants in the esthetic zone: a case report. *Gen Dent* 61:30, 2013.
204. Eggers G, Klein J, Welzel T, et al: Geometric accuracy of digital volume tomography and conventional computed tomography. *Br J Oral Maxillofac Surg* 46:639, 2008.
205. Eggers G, Muhling J, Hofele C: Clinical use of navigation based on cone-beam computer tomography in maxillofacial surgery. *Br J Oral Maxillofac Surg* 47:450, 2009.

206. Ejima K, Schulze D, Stippig A, et al: Relationship between the thickness of the roof of glenoid fossa, condyle morphology and remaining teeth in asymptomatic European patients based on cone beam CT data sets. *Dentomaxillofac Radiol* 42:90929410, 2013.
207. El AS, El H, Palomo JM, et al: A 3-dimensional airway analysis of an obstructive sleep apnea surgical correction with cone beam computed tomography. *J Oral Maxillofac Surg* 69:2424, 2011.
208. Elias HG, Scott J, Metheny L, et al: Multiple myeloma presenting as mandibular ill-defined radiolucent lesion with numb chin syndrome: a case report. *J Oral Maxillofac Surg* 67:1991, 2009.
209. Elyassi AR, Closmann JJ, Torske KR, et al: A case of anterior maxillary radiolucency. *Gen Dent* 57:402, 2009.
210. Erkan M, Karacay S, Atilla OA, et al: Orthognathic surgery of a patient with oligodontia: alternative technique for intermaxillary fixation. *J Craniofac Surg* 23:e407, 2012.
211. Eskandarloo A, Yousefi F: CBCT findings of periapical cemento-osseous dysplasia: A case report. *Imaging Sci Dent* 43:215, 2013.
212. Estevez R, Aranguren J, Escorial A, et al: Invasive cervical resorption Class III in a maxillary central incisor: diagnosis and follow-up by means of cone-beam computed tomography. *J Endod* 36:2012, 2010.
213. Estrela C, Bueno MR, De Alencar AH, et al: Method to evaluate inflammatory root resorption by using cone beam computed tomography. *J Endod* 35:1491, 2009.
214. Evlice B, Tatli U, Yazicioglu I, et al: A unique case of Turner syndrome accompanying prolactinoma and unexpected elongated styloid process: Clinical and cone-beam computed tomographic features. *Imaging Sci Dent* 43:129, 2013.
215. Fallucco MA, Carstens MH: Primary reconstruction of alveolar clefts using recombinant human bone morphogenetic protein-2: clinical and radiographic outcomes. *J Craniofac Surg* 20 Suppl 2:1759, 2009.
216. Farley NE, Kennedy K, McGlumphy EA, et al: Split-mouth comparison of the accuracy of computer-generated and conventional surgical guides. *Int J Oral Maxillofac Implants* 28:563, 2013.
217. Farronato G, Garagiola U, Carletti V, et al: Change in condylar and mandibular morphology in juvenile idiopathic arthritis: Cone Beam volumetric imaging. *Minerva Stomatol* 59:519, 2010.
218. Fayed MM, Pazera P, Katsaros C: Optimal sites for orthodontic mini-implant placement assessed by cone beam computed tomography. *Angle Orthod* 80:939, 2010.
219. Feng P, Kau CH, Hong Z, et al: The anatomical evaluation of the dental arches using cone beam computed tomography - an investigation of the availability of bone for placement of mini-screws. *Head Face Med* 9:13, 2013.
220. Ferraz AM, Jr., Devito KL, Guimaraes JP: Temporomandibular disorder in patients with juvenile idiopathic arthritis: clinical evaluation and correlation with the findings of cone beam computed tomography. *Oral Surg Oral Med Oral Pathol Oral Radiol* 114:e51, 2012.
221. Ferreira CE, Novaes A, Jr., Martinelli CB, et al: Grafting the nasal cavity with 100% anorganic bovine bone: a clinical and histomorphometric pilot report. *Int J Oral Maxillofac Implants* 28:670, 2013.
222. Ferreira-Junior O, de Avila LD, Sampieri MB, et al: Impacted lower third molar fused with a supernumerary tooth--diagnosis and treatment planning using cone-beam computed tomography. *Int J Oral Sci* 1:224, 2009.

223. Fleisher KE, Doty S, Kottal S, et al: Tetracycline-guided debridement and cone beam computed tomography for the treatment of bisphosphonate-related osteonecrosis of the jaw: a technical note. *J Oral Maxillofac Surg* 66:2646, 2008.
224. Flugge TV, Nelson K, Schmelzeisen R, et al: Three-dimensional plotting and printing of an implant drilling guide: simplifying guided implant surgery. *J Oral Maxillofac Surg* 71:1340, 2013.
225. Flygare L, Ohman A: Preoperative imaging procedures for lower wisdom teeth removal. *Clin Oral Investig* 12:291, 2008.
226. Fornell J, Johansson LA, Bolin A, et al: Flapless, CBCT-guided osteotome sinus floor elevation with simultaneous implant installation. I: radiographic examination and surgical technique. A prospective 1-year follow-up. *Clin Oral Implants Res* 23:28, 2012.
227. Fortin T, Camby E, Alik M, et al: Panoramic images versus three-dimensional planning software for oral implant planning in atrophied posterior maxillary: a clinical radiological study. *Clin Implant Dent Relat Res* 15:198, 2013.
228. Fortin T, Champeboux G, Bianchi S, et al: Precision of transfer of preoperative planning for oral implants based on cone-beam CT-scan images through a robotic drilling machine. *Clin Oral Implants Res* 13:651, 2002.
229. Fourie Z, Damstra J, Gerrits PO, et al: Accuracy and reliability of facial soft tissue depth measurements using cone beam computer tomography. *Forensic Sci Int* 199:9, 2010.
230. Franco AA, Cevidanes LH, Phillips C, et al: Long-term 3-dimensional stability of mandibular advancement surgery. *J Oral Maxillofac Surg* 71:1588, 2013.
231. Friedland B, Donoff B, Dodson TB: The use of 3-dimensional reconstructions to evaluate the anatomic relationship of the mandibular canal and impacted mandibular third molars. *J Oral Maxillofac Surg* 66:1678, 2008.
232. Friedrich RE: Reconstruction of the sphenoid wing in a case of neurofibromatosis type 1 and complex unilateral orbital dysplasia with pulsating exophthalmos. *In Vivo* 25:287, 2011.
233. Friedrich RE, Fuhrmann A, Scheuer HA, et al: Small peripheral developing odontoma of the maxilla in a 3-year-old patient depicted on cone-beam tomograms. *In Vivo* 24:895, 2010.
234. Friedrich RE, Heiland M, Assaf AT, et al: Cone beam computed tomography in the differential diagnosis of mental neuropathy (numb chin syndrome) in metastatic colon cancer. *Anticancer Res* 33:1757, 2013.
235. Friedrich RE, Scheuer HA, Grobe A: Anterior lingual mandibular bone depression in an 11-year-old child. *In Vivo* 26:1103, 2012.
236. Friel MT, Starbuck JM, Ghoneima AM, et al: Airway Obstruction and the Unilateral Cleft Lip and Palate Deformity: Contributions by the Bony Septum. *Ann Plast Surg*, 2013.
237. Froum S, Casanova L, Byrne S, et al: Risk assessment before extraction for immediate implant placement in the posterior mandible: a computerized tomographic scan study. *J Periodontol* 82:395, 2011.
238. Fu JH, Oh TJ, Benavides E, et al: A randomized clinical trial evaluating the efficacy of the sandwich bone augmentation technique in increasing buccal bone thickness during implant placement surgery: I. Clinical and radiographic parameters. *Clin Oral Implants Res* 25:458, 2014.

239. Fu KY, Li YW, Zhang ZK, et al: Osteonecrosis of the mandibular condyle as a precursor to osteoarthritis: a case report. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 107:e34, 2009.
240. Fullmer JM, Scarfe WC, Kushner GM, et al: Cone beam computed tomographic findings in refractory chronic suppurative osteomyelitis of the mandible. *Br J Oral Maxillofac Surg* 45:364, 2007.
241. Fuster-Torres MA, Penarrocha-Diago M, Penarrocha-Oltra D, et al: Relationships between bone density values from cone beam computed tomography, maximum insertion torque, and resonance frequency analysis at implant placement: a pilot study. *Int J Oral Maxillofac Implants* 26:1051, 2011.
242. Galindo-Moreno P, Padial-Molina M, Avila G, et al: Complications associated with implant migration into the maxillary sinus cavity. *Clin Oral Implants Res* 23:1152, 2012.
243. Ganz SD: Conventional CT and cone beam CT for improved dental diagnostics and implant planning. *Dent Implantol Update* 16:89, 2005.
244. Ganz SD: Using interactive technology: in the zone with the Triangle of Bone. *Dent Implantol Update* 19:33, 2008.
245. Ganz SD: Defining new paradigms for assessment of implant receptor sites. The use of CT/CBCT and interactive virtual treatment planning for congenitally missing lateral incisors. *Compend Contin Educ Dent* 29:256, 2008.
246. Ganz SD: Restoratively driven implant dentistry utilizing advanced software and CBCT: realistic abutments and virtual teeth. *Dent Today* 27:122, 2008.
247. Ganz SD: Cone beam computed tomography-assisted treatment planning concepts. *Dent Clin North Am* 55:515, 2011.
248. Garaicoa C, Suarez F, Fu JH, et al: Using Cone Beam Computed Tomography Angle for Predicting the Outcome of Horizontal Bone Augmentation. *Clin Implant Dent Relat Res*, 2013.
249. Garbacea A, Lozada JL, Church CA, et al: The incidence of maxillary sinus membrane perforation during endoscopically assessed crestal sinus floor elevation: a pilot study. *J Oral Implantol* 38:345, 2012.
250. Garg AK: Dental implant imaging: TeraRecon's Dental 3D Cone Beam Computed Tomography System. *Dent Implantol Update* 18:41, 2007.
251. Garib DG, Yatabe MS, Ozawa TO, et al: Alveolar bone morphology in patients with bilateral complete cleft lip and palate in the mixed dentition: cone beam computed tomography evaluation. *Cleft Palate Craniofac J* 49:208, 2012.
252. Gateno J, Xia JJ, Teichgraeber JF: New 3-dimensional cephalometric analysis for orthognathic surgery. *J Oral Maxillofac Surg* 69:606, 2011.
253. Gerlach RC, Dixon DR, Goksel T, et al: Case presentation of florid cemento-osseous dysplasia with concomitant cemento-ossifying fibroma discovered during implant explantation. *Oral Surg Oral Med Oral Pathol Oral Radiol* 115:e44, 2013.
254. Gerressen M, Gillessen S, Riediger D, et al: Radiologic and facial morphologic long-term results in treatment of orbital floor fracture with flexible absorbable alloplastic material. *J Oral Maxillofac Surg* 70:2375, 2012.
255. Ghaeminia H, Meijer GJ, Soehardi A, et al: Position of the impacted third molar in relation to the mandibular canal. Diagnostic accuracy of cone beam computed tomography compared with panoramic radiography. *Int J Oral Maxillofac Surg* 38:964, 2009.

256. Ghaemina H, Meijer GJ, Soehardi A, et al: The use of cone beam CT for the removal of wisdom teeth changes the surgical approach compared with panoramic radiography: a pilot study. *Int J Oral Maxillofac Surg* 40:834, 2011.
257. Ghang MH, Kim HM, You JY, et al: Three-dimensional mandibular change after sagittal split ramus osteotomy with a semirigid sliding plate system for fixation of a mandibular setback surgery. *Oral Surg Oral Med Oral Pathol Oral Radiol* 115:157, 2013.
258. Gohl E, Nguyen M, Enciso R: Three-dimensional computed tomography comparison of the maxillary palatal vault between patients with rapid palatal expansion and orthodontically treated controls. *Am J Orthod Dentofacial Orthop* 138:477, 2010.
259. Golubovic V, Mihatovic I, Becker J, et al: Accuracy of cone-beam computed tomography to assess the configuration and extent of ligature-induced peri-implantitis defects. A pilot study. *Oral Maxillofac Surg* 16:349, 2012.
260. Goncalves JR, Gomes LC, Vianna AP, et al: Airway space changes after maxillomandibular counterclockwise rotation and mandibular advancement with TMJ Concepts(R) total joint prostheses: three-dimensional assessment. *Int J Oral Maxillofac Surg* 42:1014, 2013.
261. Goncalves JR, Wolford LM, Cassano DS, et al: Temporomandibular joint condylar changes following maxillomandibular advancement and articular disc repositioning. *J Oral Maxillofac Surg* 71:1759 e1, 2013.
262. Gonzalez-Martin O, Lee EA, Veltri M: CBCT fractal dimension changes at the apex of immediate implants placed using undersized drilling. *Clin Oral Implants Res* 23:954, 2012.
263. Gopinath A, Reddy NA, Rohra MG: 3 dimensional diagnosis unravelling prognosis of multiple impacted teeth - a case report. *J Int Oral Health* 5:78, 2013.
264. Gracco A, Lombardo L, Cozzani M, et al: Quantitative cone-beam computed tomography evaluation of palatal bone thickness for orthodontic miniscrew placement. *Am J Orthod Dentofacial Orthop* 134:361, 2008.
265. Gracco A, Luca L, Cozzani M, et al: Assessment of palatal bone thickness in adults with cone beam computerised tomography. *Aust Orthod J* 23:109, 2007.
266. Granstrom G, Grondahl HG, Tjellstrom A: Sleeping implant in the temporal bone: report of a case with 20-year follow-up. *Clin Implant Dent Relat Res* 14:236, 2012.
267. Grauer D, Cevidanes LS, Proffit WR: Working with DICOM craniofacial images. *Am J Orthod Dentofacial Orthop* 136:460, 2009.
268. Guarda-Nardini L, Piccotti F, Ferronato G, et al: Myositis ossificans traumatica of the temporalis muscle: a case report and diagnostic considerations. *Oral Maxillofac Surg* 16:221, 2012.
269. Guerrero ME, Botetano R, Beltran J, et al: Can preoperative imaging help to predict postoperative outcome after wisdom tooth removal? A randomized controlled trial using panoramic radiography versus cone-beam CT. *Clin Oral Investig* 18:335, 2014.
270. Guerrero ME, Jacobs R, Loubele M, et al: State-of-the-art on cone beam CT imaging for preoperative planning of implant placement. *Clin Oral Investig* 10:1, 2006.
271. Guerrero ME, Nackaerts O, Beinsberger J, et al: Inferior alveolar nerve sensory disturbance after impacted mandibular third molar evaluation using cone beam computed tomography and panoramic radiography: a pilot study. *J Oral Maxillofac Surg* 70:2264, 2012.

272. Guerrero ME, Shahbazian M, Elsiens Bekkering G, et al: The diagnostic efficacy of cone beam CT for impacted teeth and associated features: a systematic review. *J Oral Rehabil* 38:208, 2011.
273. Guijarro-Martinez R, Swennen GR: Cone-beam computerized tomography imaging and analysis of the upper airway: a systematic review of the literature. *Int J Oral Maxillofac Surg* 40:1227, 2011.
274. Guldner C, Pistorius SM, Diogo I, et al: Analysis of pneumatization and neurovascular structures of the sphenoid sinus using cone-beam tomography (CBT). *Acta Radiol* 53:214, 2012.
275. Guncu GN, Yildirim YD, Yilmaz HG, et al: Is there a gender difference in anatomic features of incisive canal and maxillary environmental bone? *Clin Oral Implants Res* 24:1023, 2013.
276. Gupta J, Ali SP: Cone beam computed tomography in oral implants. *Natl J Maxillofac Surg* 4:2, 2013.
277. Gurgel CV, Costa AL, Kobayashi TY, et al: Cone beam computed tomography for diagnosis and treatment planning of supernumerary teeth. *Gen Dent* 60:e131, 2012.
278. Guttenberg SA: Oral and maxillofacial pathology in three dimensions. *Dent Clin North Am* 52:843, 2008.
279. Hajati AK, Alstergren P, Nasstrom K, et al: Endogenous glutamate in association with inflammatory and hormonal factors modulates bone tissue resorption of the temporomandibular joint in patients with early rheumatoid arthritis. *J Oral Maxillofac Surg* 67:1895, 2009.
280. Hakim SG, Wieker H, Trenkle T, et al: Imaging of mandible invasion by oral squamous cell carcinoma using computed tomography, cone-beam computed tomography and bone scintigraphy with SPECT. *Clin Oral Investig* 18:961, 2014.
281. Hamada Y, Kondoh T, Noguchi K, et al: Application of limited cone beam computed tomography to clinical assessment of alveolar bone grafting: a preliminary report. *Cleft Palate Craniofac J* 42:128, 2005.
282. Haney E, Gansky SA, Lee JS, et al: Comparative analysis of traditional radiographs and cone-beam computed tomography volumetric images in the diagnosis and treatment planning of maxillary impacted canines. *Am J Orthod Dentofacial Orthop* 137:590, 2010.
283. Harokopakis-Hajishengallis E, Tiwana P: Odontogenic myxoma in the pediatric patient: a literature review and case report. *Pediatr Dent* 29:409, 2007.
284. Harris D, Horner K, Grondahl K, et al: E.A.O. guidelines for the use of diagnostic imaging in implant dentistry 2011. A consensus workshop organized by the European Association for Osseointegration at the Medical University of Warsaw. *Clin Oral Implants Res* 23:1243, 2012.
285. Harrison K, Iskandar I, Chien HH: Fixation tack penetration into the maxillary sinus: A case report of a guided bone regeneration procedure complication. *Am J Case Rep* 14:43, 2013.
286. Harzer W, Ruger D, Tausche E: Autotransplantation of first premolar to replace a maxillary incisor - 3D-volume tomography for evaluation of the periodontal space. *Dent Traumatol* 25:233, 2009.
287. Hashimoto K, Kawashima S, Kameoka S, et al: Comparison of image validity between cone beam computed tomography for dental use and multidetector row helical computed tomography. *Dentomaxillofac Radiol* 36:465, 2007.

288. Hassani A, Motamedi MH, Sadrimanesh R, et al: Use of cone beam computed tomography to detect and remove a broken suture needle. *Gen Dent* 58:534, 2010.
289. Hatcher DC, Dial C, Mayorga C: Cone beam CT for pre-surgical assessment of implant sites. *J Calif Dent Assoc* 31:825, 2003.
290. Hauge Matzen L, Christensen J, Hintze H, et al: Diagnostic accuracy of panoramic radiography, stereo-scanography and cone beam CT for assessment of mandibular third molars before surgery. *Acta Odontol Scand* 71:1391, 2013.
291. Hayes JL: Long-term follow-up needed of RME treatment. *Am J Orthod Dentofacial Orthop* 134:465, 2008.
292. Heiland M, Pohlenz P, Blessmann M, et al: Navigated implantation after microsurgical bone transfer using intraoperatively acquired cone-beam computed tomography data sets. *Int J Oral Maxillofac Surg* 37:70, 2008.
293. Heiland M, Schulze D, Blake F, et al: Intraoperative imaging of zygomaticomaxillary complex fractures using a 3D C-arm system. *Int J Oral Maxillofac Surg* 34:369, 2005.
294. Heit T: Neuromuscular orthotics in the treatment of craniomandibular dysfunction and the effects on patients with multiple sclerosis: a pilot study. *Cranio* 29:57, 2011.
295. Hendrikx AW, Maal T, Dieleman F, et al: Cone-beam CT in the assessment of mandibular invasion by oral squamous cell carcinoma: results of the preliminary study. *Int J Oral Maxillofac Surg* 39:436, 2010.
296. Henriques JC, Fernandes Neto AJ, Almeida Gde A, et al: Cone-beam tomography assessment of condylar position discrepancy between centric relation and maximal intercuspation. *Braz Oral Res* 26:29, 2012.
297. Hernandez-Alfaro F, Guijarro-Martinez R: Endoscopically assisted tunnel approach for minimally invasive corticotomies: a preliminary report. *J Periodontol* 83:574, 2012.
298. Hernandez-Alfaro F, Guijarro-Martinez R, Mareque-Bueno J: Effect of mono- and bimaxillary advancement on pharyngeal airway volume: cone-beam computed tomography evaluation. *J Oral Maxillofac Surg* 69:e395, 2011.
299. Hernandez-Alfaro F, Sancho-Puchades M, Guijarro-Martinez R: Total reconstruction of the atrophic maxilla with intraoral bone grafts and biomaterials: a prospective clinical study with cone beam computed tomography validation. *Int J Oral Maxillofac Implants* 28:241, 2013.
300. Heymann GC, Cevidanes L, Cornelis M, et al: Three-dimensional analysis of maxillary protraction with intermaxillary elastics to miniplates. *Am J Orthod Dentofacial Orthop* 137:274, 2010.
301. Hilgers ML, Scarfe WC, Scheetz JP, et al: Accuracy of linear temporomandibular joint measurements with cone beam computed tomography and digital cephalometric radiography. *Am J Orthod Dentofacial Orthop* 128:803, 2005.
302. Hintze H, Wiese M, Wenzel A: Cone beam CT and conventional tomography for the detection of morphological temporomandibular joint changes. *Dentomaxillofac Radiol* 36:192, 2007.
303. Ho DS, Yeung SC, Zee KY, et al: Clinical and radiographic evaluation of NobelActive(TM) dental implants. *Clin Oral Implants Res* 24:297, 2013.
304. Hoffman GR, Islam S: The difficult Le Fort I osteotomy and downfracture: a review with consideration given to an atypical maxillary morphology. *J Plast Reconstr Aesthet Surg* 61:1029, 2008.

305. Holst AI, Hirschfelder U, Holst S: Diagnostic potential of 3D-data-based reconstruction software: an analysis of the rare disease pattern of cherubism. *Cleft Palate Craniofac J* 46:215, 2009.
306. Honda K, Arai Y, Kashima M, et al: Evaluation of the usefulness of the limited cone-beam CT (3DX) in the assessment of the thickness of the roof of the glenoid fossa of the temporomandibular joint. *Dentomaxillofac Radiol* 33:391, 2004.
307. Honda K, Bjornland T: Image-guided puncture technique for the superior temporomandibular joint space: value of cone beam computed tomography (CBCT). *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 102:281, 2006.
308. Honda K, Larheim TA, Maruhashi K, et al: Osseous abnormalities of the mandibular condyle: diagnostic reliability of cone beam computed tomography compared with helical computed tomography based on an autopsy material. *Dentomaxillofac Radiol* 35:152, 2006.
309. Honda K, Matumoto K, Kashima M, et al: Single air contrast arthrography for temporomandibular joint disorder using limited cone beam computed tomography for dental use. *Dentomaxillofac Radiol* 33:271, 2004.
310. Honey OB, Scarfe WC, Hilgers MJ, et al: Accuracy of cone-beam computed tomography imaging of the temporomandibular joint: comparisons with panoramic radiology and linear tomography. *Am J Orthod Dentofacial Orthop* 132:429, 2007.
311. Hong JS, Park YH, Kim YJ, et al: Three-dimensional changes in pharyngeal airway in skeletal class III patients undergoing orthognathic surgery. *J Oral Maxillofac Surg* 69:e401, 2011.
312. Horner K: Radiographic selection criteria: new guidelines, old challenges. *Br Dent J* 214:201, 2013.
313. Howerton WB, Jr., Mora MA: Advancements in digital imaging: what is new and on the horizon? *J Am Dent Assoc* 139 Suppl:20S, 2008.
314. Hsu JT, Huang HL, Fuh LJ, et al: Location of the mandibular canal and thickness of the occlusal cortical bone at dental implant sites in the lower second premolar and first molar. *Comput Math Methods Med* 2013:608570, 2013.
315. Hu KS, Choi DY, Lee WJ, et al: Reliability of two different presurgical preparation methods for implant dentistry based on panoramic radiography and cone-beam computed tomography in cadavers. *J Periodontal Implant Sci* 42:39, 2012.
316. Hu L, Song J, Deng F, et al: [Research about the safe zone of microscrew implant insertion for back teeth by cone beam computed tomography]. *Hua Xi Kou Qiang Yi Xue Za Zhi* 30:156, 2012.
317. Huang H, Liu P, Li X, et al: [Mandibular incisive canal by cone beam CT]. *Hua Xi Kou Qiang Yi Xue Za Zhi* 31:479, 2013.
318. Hunsaker RB, Cunningham L, Yepes JF: Combined CBCT and sialogram: report of three cases. *Gen Dent* 60:e221, 2012.
319. Hunter A, Kalathingal S: Diagnostic imaging for temporomandibular disorders and orofacial pain. *Dent Clin North Am* 57:405, 2013.
320. Hunter AK, Muller S, Kalathingal SM, et al: Evaluation of an ameloblastic fibro-odontoma with cone beam computed tomography. *Tex Dent J* 129:619, 2012.
321. Huntjens E, Kiss G, Wouters C, et al: Condylar asymmetry in children with juvenile idiopathic arthritis assessed by cone-beam computed tomography. *Eur J Orthod* 30:545, 2008.

322. Hurley RA, Taber KH: Imaging of eating disorders: multiple techniques to demonstrate the dynamic brain. *J Neuropsychiatry Clin Neurosci* 20:iv, 2008.
323. Hussain AM, Packota G, Major PW, et al: Role of different imaging modalities in assessment of temporomandibular joint erosions and osteophytes: a systematic review. *Dentomaxillofac Radiol* 37:63, 2008.
324. Huynh-Ba G, Alexander P, Vierra MJ, et al: Using an existing denture to design a radiographic template for a two-implant mandibular overdenture. *J Prosthet Dent* 109:53, 2013.
325. Hwang DS, Kim YI, Park SB, et al: Midfacial soft tissue changes after leveling Le Fort I osteotomy with differential reduction. Cone-beam computed tomography volume superimposition. *Angle Orthod* 82:424, 2012.
326. Hwang HS, Kim K, Moon DN, et al: Reproducibility of facial soft tissue thicknesses for craniofacial reconstruction using cone-beam CT images. *J Forensic Sci* 57:443, 2012.
327. Hwang HS, Park MK, Lee WJ, et al: Facial soft tissue thickness database for craniofacial reconstruction in Korean adults. *J Forensic Sci* 57:1442, 2012.
328. Ikeda K, Kawamura A: Assessment of optimal condylar position with limited cone-beam computed tomography. *Am J Orthod Dentofacial Orthop* 135:495, 2009.
329. Ikeda K, Kawamura A: Disc displacement and changes in condylar position. *Dentomaxillofac Radiol* 42:84227642, 2013.
330. Ikeda K, Kawamura A, Ikeda R: Assessment of optimal condylar position in the coronal and axial planes with limited cone-beam computed tomography. *J Prosthodont* 20:432, 2011.
331. Ilguy D, Ilguy M, Dolekoglu S, et al: Evaluation of the posterior superior alveolar artery and the maxillary sinus with CBCT. *Braz Oral Res* 27:431, 2013.
332. Ilguy D, Ilguy M, Fisekcioglu E, et al: Assessment of the stylohyoid complex with cone beam computed tomography. *Iran J Radiol* 10:21, 2012.
333. Jadu F, Yaffe MJ, Lam EW: A comparative study of the effective radiation doses from cone beam computed tomography and plain radiography for sialography. *Dentomaxillofac Radiol* 39:257, 2010.
334. Jadu FM, Hill ML, Yaffe MJ, et al: Optimization of exposure parameters for cone beam computed tomography sialography. *Dentomaxillofac Radiol* 40:362, 2011.
335. Jadu FM, Lam EW: A comparative study of the diagnostic capabilities of 2D plain radiograph and 3D cone beam CT sialography. *Dentomaxillofac Radiol* 42:20110319, 2013.
336. Jafaripozve N, Jafaripozve S, Khorasgani MA: Kerathocyst Odontogenic Tumor: Importance of Selection the Best Treatment Modality and A Periodical Follow-up to Prevent from Recurrence: A Case Report and Literature Review. *Int J Prev Med* 4:967, 2013.
337. Jang HY, Kim HC, Lee SC, et al: Choice of graft material in relation to maxillary sinus width in internal sinus floor augmentation. *J Oral Maxillofac Surg* 68:1859, 2010.
338. Janner SF, Caversaccio MD, Dubach P, et al: Characteristics and dimensions of the Schneiderian membrane: a radiographic analysis using cone beam computed tomography in patients referred for dental implant surgery in the posterior maxilla. *Clin Oral Implants Res* 22:1446, 2011.

339. Januario AL, Duarte WR, Barriviera M, et al: Dimension of the facial bone wall in the anterior maxilla: a cone-beam computed tomography study. *Clin Oral Implants Res* 22:1168, 2011.
340. Jayaratne YS, Zwahlen RA, Lo J, et al: Computer-aided maxillofacial surgery: an update. *Surg Innov* 17:217, 2010.
341. Jensen OT, Block M: Alveolar modification by distraction osteogenesis. *Atlas Oral Maxillofac Surg Clin North Am* 16:185, 2008.
342. Jeong KI, Kim SG, Oh JS, et al: Consideration of various bone quality evaluation methods. *Implant Dent* 22:55, 2013.
343. Jiang H, Wang ZW, Liu HC, et al: [Effect of right chewing-side preference on morphological temporomandibular joint changes]. *Shanghai Kou Qiang Yi Xue* 19:607, 2010.
344. Jun SH, Kim CH, Ahn JS, et al: Anatomical differences in lower third molars visualized by 2D and 3D X-ray imaging: clinical outcomes after extraction. *Int J Oral Maxillofac Surg* 42:489, 2013.
345. Jung BA, Wehrbein H, Wagner W, et al: Preoperative diagnostic for palatal implants: Is CT or CBCT necessary? *Clin Implant Dent Relat Res* 14:400, 2012.
346. Jung J, Yim JH, Kwon YD, et al: A radiographic study of the position and prevalence of the maxillary arterial endosseous anastomosis using cone beam computed tomography. *Int J Oral Maxillofac Implants* 26:1273, 2011.
347. Jung RE, Benic GI, Scherrer D, et al: Cone beam computed tomography evaluation of regenerated buccal bone 5 years after simultaneous implant placement and guided bone regeneration procedures - a randomized, controlled clinical trial. *Clin Oral Implants Res*, 2013.
348. Jung RE, Philipp A, Annen BM, et al: Radiographic evaluation of different techniques for ridge preservation after tooth extraction: a randomized controlled clinical trial. *J Clin Periodontol* 40:90, 2013.
349. Jung YH, Cho BH: Assessment of the relationship between the maxillary molars and adjacent structures using cone beam computed tomography. *Imaging Sci Dent* 42:219, 2012.
350. Jung YH, Liang H, Benson BW, et al: The assessment of impacted maxillary canine position with panoramic radiography and cone beam CT. *Dentomaxillofac Radiol* 41:356, 2012.
351. Jung YH, Nah KS, Cho BH: Correlation of panoramic radiographs and cone beam computed tomography in the assessment of a superimposed relationship between the mandibular canal and impacted third molars. *Imaging Sci Dent* 42:121, 2012.
352. Kaeppler G: Applications of cone beam computed tomography in dental and oral medicine. *Int J Comput Dent* 13:203, 2010.
353. Kaeppler G, Cornelius CP, Ehrenfeld M, et al: Diagnostic efficacy of cone-beam computed tomography for mandibular fractures. *Oral Surg Oral Med Oral Pathol Oral Radiol* 116:98, 2013.
354. Kaeppler G, Mast M: Indications for cone-beam computed tomography in the area of oral and maxillofacial surgery. *Int J Comput Dent* 15:271, 2012.
355. Kalender A, Orhan K, Aksoy U: Evaluation of the mental foramen and accessory mental foramen in Turkish patients using cone-beam computed tomography images reconstructed from a volumetric rendering program. *Clin Anat* 25:584, 2012.

356. Kamel SG, Kau CH, Wong ME, et al: The role of Cone beam CT in the evaluation and management of a family with Gardner's syndrome. *J Craniomaxillofac Surg* 37:461, 2009.
357. Kan JY, Roe P, Rungcharassaeng K, et al: Classification of sagittal root position in relation to the anterior maxillary osseous housing for immediate implant placement: a cone beam computed tomography study. *Int J Oral Maxillofac Implants* 26:873, 2011.
358. Kaner D, Friedmann A: Soft tissue expansion with self-filling osmotic tissue expanders before vertical ridge augmentation: a proof of principle study. *J Clin Periodontol* 38:95, 2011.
359. Kang SJ, Shin SI, Herr Y, et al: Anatomical structures in the maxillary sinus related to lateral sinus elevation: a cone beam computed tomographic analysis. *Clin Oral Implants Res* 24 Suppl A100:75, 2013.
360. Kartalian A, Gohl E, Adamian M, et al: Cone-beam computerized tomography evaluation of the maxillary dentoskeletal complex after rapid palatal expansion. *Am J Orthod Dentofacial Orthop* 138:486, 2010.
361. Katakami K, Mishima A, Shiozaki K, et al: Characteristics of accessory mental foramina observed on limited cone-beam computed tomography images. *J Endod* 34:1441, 2008.
362. Katakami K, Shimoda S, Kobayashi K, et al: Histological investigation of osseous changes of mandibular condyles with backscattered electron images. *Dentomaxillofac Radiol* 37:330, 2008.
363. Katheria BC, Kau CH, Tate R, et al: Effectiveness of impacted and supernumerary tooth diagnosis from traditional radiography versus cone beam computed tomography. *Pediatr Dent* 32:304, 2010.
364. Katsoulis J, Enkling N, Takeichi T, et al: Relative bone width of the edentulous maxillary ridge. Clinical implications of digital assessment in presurgical implant planning. *Clin Implant Dent Relat Res* 14 Suppl 1:e213, 2012.
365. Katsumata A, Hirukawa A, Okumura S, et al: Effects of image artifacts on gray-value density in limited-volume cone-beam computerized tomography. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 104:829, 2007.
366. Kau CH, English JD, Muller-Delgado MG, et al: Retrospective cone-beam computed tomography evaluation of temporary anchorage devices. *Am J Orthod Dentofacial Orthop* 137:166 e1, 2010.
367. Kau CH, Pan P, Gallerano RL, et al: A novel 3D classification system for canine impactions--the KPG index. *Int J Med Robot* 5:291, 2009.
368. Kau CH, Souccar NM, English JD, et al: The surgical and orthodontic management of cherubism in a growing child. *J Craniomaxillofac Surg* 40:229, 2012.
369. Kehl M, Swierkot K, Mengel R: Three-dimensional measurement of bone loss at implants in patients with periodontal disease. *J Periodontol* 82:689, 2011.
370. Keightley AJ, Cross DL, McKerlie RA, et al: Autotransplantation of an immature premolar, with the aid of cone beam CT and computer-aided prototyping: a case report. *Dent Traumatol* 26:195, 2010.
371. Kelly A, Flanagan D: Ridge expansion and immediate placement with piezosurgery and screw expanders in atrophic maxillary sites: two case reports. *J Oral Implantol* 39:85, 2013.
372. Kennedy KS, Jones EM, Kim DG, et al: A prospective clinical study to evaluate early success of short implants. *Int J Oral Maxillofac Implants* 28:170, 2013.

373. Khalifa H, Grubisa HS, Lee L, et al: Enlarged follicles and temporomandibular joint abnormalities in mucopolysaccharidosis Type III. *Dentomaxillofac Radiol* 42:22822014, 2013.
374. Khojasteh A, Behnia H, Morad G, et al: Healing of extraction sockets and augmented alveolar defects following 1-year treatment with bisphosphonate. *J Craniofac Surg* 24:e68, 2013.
375. Kijima N, Honda K, Kuroki Y, et al: Relationship between patient characteristics, mandibular head morphology and thickness of the roof of the glenoid fossa in symptomatic temporomandibular joints. *Dentomaxillofac Radiol* 36:277, 2007.
376. Kim BR, Oh KM, Cevidanes LH, et al: Analysis of 3D soft tissue changes after 1- and 2-jaw orthognathic surgery in mandibular prognathism patients. *J Oral Maxillofac Surg* 71:151, 2013.
377. Kim EJ, Palomo JM, Kim SS, et al: Maxillofacial characteristics affecting chin deviation between mandibular retrusion and prognathism patients. *Angle Orthod* 81:988, 2011.
378. Kim ES, Moon SY, Kim SG, et al: Three-dimensional volumetric analysis after sinus grafts. *Implant Dent* 22:170, 2013.
379. Kim GT, Kim SH, Choi YS, et al: Cone-beam computed tomography evaluation of orthodontic miniplate anchoring screws in the posterior maxilla. *Am J Orthod Dentofacial Orthop* 136:628 e1, 2009.
380. Kim JD, Jang HS, Seo YS, et al: A repeatedly recurrent desmoplastic ameloblastoma after removal and allobone graft: Radiographic features compared with histological changes. *Imaging Sci Dent* 43:201, 2013.
381. Kim JH, Song BC, Kim SH, et al: Clinical, radiographic, and histological findings of florid cemento-osseous dysplasia: a case report. *Imaging Sci Dent* 41:139, 2011.
382. Kim JS: Cone beam computed tomography findings of ectopic mandibular third molar in the mandibular condyle: report of a case. *Imaging Sci Dent* 41:135, 2011.
383. Kim JS: Multilocular developmental salivary gland defect. *Imaging Sci Dent* 42:261, 2012.
384. Kim KA, Koh KJ: Recurrent simple bone cyst of the mandibular condyle: a case report. *Imaging Sci Dent* 43:49, 2013.
385. Kim MA, Kim BR, Youn JK, et al: Head posture and pharyngeal airway volume changes after bimaxillary surgery for mandibular prognathism. *J Craniofac Surg* 42:531, 2014.
386. Kim SH, Choi YS, Hwang EH, et al: Surgical positioning of orthodontic mini-implants with guides fabricated on models replicated with cone-beam computed tomography. *Am J Orthod Dentofacial Orthop* 131:S82, 2007.
387. Kim SH, Kang JM, Choi B, et al: Clinical application of a stereolithographic surgical guide for simple positioning of orthodontic mini-implants. *World J Orthod* 9:371, 2008.
388. Kim SH, Kang SM, Choi YS, et al: Cone-beam computed tomography evaluation of mini-implants after placement: Is root proximity a major risk factor for failure? *Am J Orthod Dentofacial Orthop* 138:264, 2010.
389. Kim YI, Cho BH, Jung YH, et al: Cone-beam computerized tomography evaluation of condylar changes and stability following two-jaw surgery: Le Fort I osteotomy and mandibular setback surgery with rigid fixation. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 111:681, 2011.

390. Kim YI, Jung YH, Cho BH, et al: The assessment of the short- and long-term changes in the condylar position following sagittal split ramus osteotomy (SSRO) with rigid fixation. *J Oral Rehabil* 37:262, 2010.
391. Kim YI, Kim JR, Park SB: Three-dimensional analysis of midfacial soft tissue changes according to maxillary superior movement after horizontal osteotomy of the maxilla. *J Craniofac Surg* 21:1587, 2010.
392. Kim YI, Park SB, Jung YH, et al: Evaluation of intersegmental displacement according to osteosynthesis method for mandibular setback sagittal split ramus osteotomy using cone-beam computed tomographic superimposition. *J Oral Maxillofac Surg* 70:2893, 2012.
393. Kim YI, Park SB, Son WS, et al: Midfacial soft-tissue changes after advancement of maxilla with Le Fort I osteotomy and mandibular setback surgery: comparison of conventional and high Le Fort I osteotomies by superimposition of cone-beam computed tomography volumes. *J Oral Maxillofac Surg* 69:e225, 2011.
394. Kim YJ, Oh KM, Hong JS, et al: Do patients treated with bimaxillary surgery have more stable condylar positions than those who have undergone single-jaw surgery? *J Oral Maxillofac Surg* 70:2143, 2012.
395. King KS, Lam EW, Faulkner MG, et al: Predictive factors of vertical bone depth in the paramedian palate of adolescents. *Angle Orthod* 76:745, 2006.
396. King KS, Lam EW, Faulkner MG, et al: Vertical bone volume in the paramedian palate of adolescents: a computed tomography study. *Am J Orthod Dentofacial Orthop* 132:783, 2007.
397. Klatt J, Heiland M, Blessmann M, et al: Clinical indication for intraoperative 3D imaging during open reduction of fractures of the neck and head of the mandibular condyle. *J Craniomaxillofac Surg* 39:244, 2011.
398. Klatt JC, Heiland M, Marx S, et al: Clinical indication for intraoperative 3D imaging during open reduction of fractures of the mandibular angle. *J Craniomaxillofac Surg* 41:e87, 2013.
399. Kleinman A, Leyva F, Lozada J, et al: Loma Linda guide: a stereolithographically designed surgical template: technique paper. *J Oral Implantol* 35:238, 2009.
400. Klijn RJ, van den Beucken JJ, Bronkhorst EM, et al: Predictive value of ridge dimensions on autologous bone graft resorption in staged maxillary sinus augmentation surgery using Cone-Beam CT. *Clin Oral Implants Res* 23:409, 2012.
401. Kobayashi TY, Gurgel CV, Cota AL, et al: The usefulness of cone beam computed tomography for treatment of complex odontoma. *Eur Arch Paediatr Dent* 14:185, 2013.
402. Kocak-Berberoglu H, Cakarar S, Brkic A, et al: Three-dimensional cone-beam computed tomography for diagnosis of keratocystic odontogenic tumours; evaluation of four cases. *Med Oral Patol Oral Cir Bucal* 17:e1000, 2012.
403. Koh KJ, Kim KA: Utility of the computed tomography indices on cone beam computed tomography images in the diagnosis of osteoporosis in women. *Imaging Sci Dent* 41:101, 2011.
404. Koos B, Tzaribachev N, Bott S, et al: Classification of temporomandibular joint erosion, arthritis, and inflammation in patients with juvenile idiopathic arthritis. *J Orofac Orthop*, 2013.
405. Kopp S, Ihde S, Bienengraber V: Differential diagnosis of stafne idiopathic bone cyst with Digital Volume Tomography (DVT). *J Maxillofac Oral Surg* 9:80, 2010.

406. Kosinski T: Technology makes a complicated implant restoration simple. *Dent Today* 30:128, 2011.
407. Koutzoglou SI, Kostaki A: Effect of surgical exposure technique, age, and grade of impaction on ankylosis of an impacted canine, and the effect of rapid palatal expansion on eruption: A prospective clinical study. *Am J Orthod Dentofacial Orthop* 143:342, 2013.
408. Koye V, Grondahl HG: Characteristics of patients referred for Cone Beam Computed Tomography (CBCT) of ectopically erupting maxillary canines. *Swed Dent J* 35:159, 2011.
409. Krishnamoorthy B, Mamatha N, Kumar VA: TMJ imaging by CBCT: Current scenario. *Ann Maxillofac Surg* 3:80, 2013.
410. Krisjane Z, Urtane I, Krumina G, et al: Condylar and mandibular morphological criteria in the 2D and 3D MSCT imaging for patients with Class II division 1 subdivision malocclusion. *Stomatologija* 9:67, 2007.
411. Krisjane Z, Urtane I, Krumina G, et al: The prevalence of TMJ osteoarthritis in asymptomatic patients with dentofacial deformities: a cone-beam CT study. *Int J Oral Maxillofac Surg* 41:690, 2012.
412. Kuijpers MA, Pazera A, Admiraal RJ, et al: Incidental findings on cone beam computed tomography scans in cleft lip and palate patients. *Clin Oral Investig* 18:1237, 2014.
413. Kumar V, Ludlow J, Soares Cevidanes LH, et al: In vivo comparison of conventional and cone beam CT synthesized cephalograms. *Angle Orthod* 78:873, 2008.
414. Kumar V, Ludlow JB, Mol A, et al: Comparison of conventional and cone beam CT synthesized cephalograms. *Dentomaxillofac Radiol* 36:263, 2007.
415. Kumar V, Pass B, Guttenberg SA, et al: Bisphosphonate-related osteonecrosis of the jaws: a report of three cases demonstrating variability in outcomes and morbidity. *J Am Dent Assoc* 138:602, 2007.
416. Ladeira DB, Barbosa GL, Nascimento MC, et al: Prevalence and characteristics of pneumatization of the temporal bone evaluated by cone beam computed tomography. *Int J Oral Maxillofac Surg* 42:771, 2013.
417. Laffranchi L, Dalessandri D, Fontana P, et al: Cone beam computed tomography role in diagnosis and treatment of impacted canine patient's: a case report. *Minerva Stomatol* 59:363, 2010.
418. Laffranchi L, Dalessandri D, Tonni I, et al: Use of CBCT in the orthodontic diagnosis of a patient with pycnodysostosis. *Minerva Stomatol* 59:653, 2010.
419. Lagravere MO, Carey J, Heo G, et al: Transverse, vertical, and anteroposterior changes from bone-anchored maxillary expansion vs traditional rapid maxillary expansion: a randomized clinical trial. *Am J Orthod Dentofacial Orthop* 137:304 e1, 2010.
420. Lai CS, Bornstein MM, Mock L, et al: Impacted maxillary canines and root resorptions of neighbouring teeth: a radiographic analysis using cone-beam computed tomography. *Eur J Orthod* 35:529, 2013.
421. Lai CS, Suter VG, Katsaros C, et al: Localization of impacted maxillary canines and root resorption of neighbouring teeth: a study assessing the diagnostic value of panoramic radiographs in two groups of observers. *Eur J Orthod*, 2013.
422. Lai RF, Zou H, Kong WD, et al: Applied anatomic site study of palatal anchorage implants using cone beam computed tomography. *Int J Oral Sci* 2:98, 2010.

423. Lana JP, Carneiro PM, Machado Vde C, et al: Anatomic variations and lesions of the maxillary sinus detected in cone beam computed tomography for dental implants. *Clin Oral Implants Res* 23:1398, 2012.
424. Lau SL, Chow J, Li W, et al: Classification of maxillary central incisors-implications for immediate implant in the esthetic zone. *J Oral Maxillofac Surg* 69:142, 2011.
425. Le BT, Borzabadi-Farahani A: Labial bone thickness in area of anterior maxillary implants associated with crestal labial soft tissue thickness. *Implant Dent* 21:406, 2012.
426. Lee CY, Prasad HS, Suzuki JB, et al: The correlation of bone mineral density and histologic data in the early grafted maxillary sinus: a preliminary report. *Implant Dent* 20:202, 2011.
427. Lee JY, Kim YI, Hwang DS, et al: Effect of maxillary setback movement on upper airway in patients with class III skeletal deformities: cone beam computed tomographic evaluation. *J Craniofac Surg* 24:387, 2013.
428. Lee JY, Kim YI, Hwang DS, et al: Effect of setback Le Fort I osteotomy on midfacial soft-tissue changes as evaluated by cone-beam computed tomography superimposition for cases of skeletal Class III malocclusion. *Int J Oral Maxillofac Surg* 42:790, 2013.
429. Lee S, Gantes B, Riggs M, et al: Bone density assessments of dental implant sites: 3. Bone quality evaluation during osteotomy and implant placement. *Int J Oral Maxillofac Implants* 22:208, 2007.
430. Lee ST, Mori Y, Minami K, et al: Does skeletal surgery for asymmetric mandibular prognathism influence the soft tissue contour and thickness? *J Oral Maxillofac Surg* 71:1577, 2013.
431. Lee Y, Chun YS, Kang N, et al: Volumetric changes in the upper airway after bimaxillary surgery for skeletal class III malocclusions: a case series study using 3-dimensional cone-beam computed tomography. *J Oral Maxillofac Surg* 70:2867, 2012.
432. Lei J, Liu MQ, Yap AU, et al: Subarticular, cystlike lesion associated with avascular necrosis of the mandibular condyle: a case report. *Oral Surg Oral Med Oral Pathol Oral Radiol* 115:393, 2013.
433. Lei J, Liu MQ, Yap AU, et al: Condylar subchondral formation of cortical bone in adolescents and young adults. *Br J Oral Maxillofac Surg* 51:63, 2013.
434. Lethaus B, Poort L, Bockmann R, et al: Additive manufacturing for microvascular reconstruction of the mandible in 20 patients. *J Craniomaxillofac Surg* 40:43, 2012.
435. Leung YY, Wong WY, Cheung LK: Surgical ciliated cysts may mimic radicular cysts or residual cysts of maxilla: report of 3 cases. *J Oral Maxillofac Surg* 70:e264, 2012.
436. Lewis EL, Dolwick MF, Abramowicz S, et al: Contemporary imaging of the temporomandibular joint. *Dent Clin North Am* 52:875, 2008.
437. Li F, Wang JG: [Measurement of tooth length of upper canines in complete unilateral cleft lip and palate patients with cone-beam computed tomography]. *Hua Xi Kou Qiang Yi Xue Za Zhi* 29:161, 2011.
438. Liao R, Sun M, Gu Y, et al: [Clinical application of cone beam CT in the treatment of jaw bone cyst]. *Hua Xi Kou Qiang Yi Xue Za Zhi* 30:262, 2012.
439. Lin IC, Gonzalez AM, Chang HJ, et al: A 5-year follow-up of 80 implants in 44 patients placed immediately after the lateral trap-door window procedure to accomplish maxillary sinus elevation without bone grafting. *Int J Oral Maxillofac Implants* 26:1079, 2011.

440. Lin X, Liu Y, Edwards SP: Effect of mandibular advancement on the natural position of the head: a preliminary study of 3-dimensional cephalometric analysis. *Br J Oral Maxillofac Surg* 51:e178, 2013.
441. Little DA: Protocol for implementing aesthetic implant restorations. *Dent Today* 30:88, 2011.
442. Liu DG, Zhang WL, Zhang ZY, et al: Three-dimensional evaluations of supernumerary teeth using cone-beam computed tomography for 487 cases. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 103:403, 2007.
443. Liu DG, Zhang WL, Zhang ZY, et al: Localization of impacted maxillary canines and observation of adjacent incisor resorption with cone-beam computed tomography. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 105:91, 2008.
444. Liu MQ, Chen HM, Yap AU, et al: Condylar remodeling accompanying splint therapy: a cone-beam computerized tomography study of patients with temporomandibular joint disk displacement. *Oral Surg Oral Med Oral Pathol Oral Radiol* 114:259, 2012.
445. Liuk IW, Olive RJ, Griffin M, et al: Maxillary lateral incisor morphology and palatally displaced canines: a case-controlled cone-beam volumetric tomography study. *Am J Orthod Dentofacial Orthop* 143:522, 2013.
446. Lizio G, Pelliccioni GA, Ghigi G, et al: Radiographic assessment of the mandibular retromolar canal using cone-beam computed tomography. *Acta Odontol Scand* 71:650, 2013.
447. Lloyd TE, Drage NA, Cronin AJ: The role of cone beam computed tomography in the management of unfavourable fractures following sagittal split mandibular osteotomy. *J Orthod* 38:48, 2011.
448. Lofthag-Hansen S, Grondahl K, Ekestubbe A: Cone-beam CT for preoperative implant planning in the posterior mandible: visibility of anatomic landmarks. *Clin Implant Dent Relat Res* 11:246, 2009.
449. Lofthag-Hansen S, Huumonen S, Grondahl K, et al: Limited cone-beam CT and intraoral radiography for the diagnosis of periapical pathology. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 103:114, 2007.
450. Lopes N, Oliveira DM, Vajgel A, et al: A new approach for reconstruction of a severely atrophic mandible. *J Oral Maxillofac Surg* 67:2455, 2009.
451. Loubele M, Guerrero ME, Jacobs R, et al: A comparison of jaw dimensional and quality assessments of bone characteristics with cone-beam CT, spiral tomography, and multi-slice spiral CT. *Int J Oral Maxillofac Implants* 22:446, 2007.
452. Loubele M, Maes F, Jacobs R, et al: Comparative study of image quality for MSCT and CBCT scanners for dentomaxillofacial radiology applications. *Radiat Prot Dosimetry* 129:222, 2008.
453. Loubele M, Van Assche N, Carpentier K, et al: Comparative localized linear accuracy of small-field cone-beam CT and multislice CT for alveolar bone measurements. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 105:512, 2008.
454. Low KM, Dula K, Burgin W, et al: Comparison of periapical radiography and limited cone-beam tomography in posterior maxillary teeth referred for apical surgery. *J Endod* 34:557, 2008.
455. Lozada JL, Goodacre C, Al-Ardah AJ, et al: Lateral and crestal bone planing antrostomy: a simplified surgical procedure to reduce the incidence of membrane perforation during maxillary sinus augmentation procedures. *J Prosthet Dent* 105:147, 2011.

456. Lucey S, Heath N, Welbury RR, et al: Case report: Cone-beam ct imaging in the management of a double tooth. *Eur Arch Paediatr Dent* 10 Suppl 1:49, 2009.
457. Lucio PS, Cavalcante RB, Maia RN, et al: Aggressive ameloblastic fibro-odontoma assessment with CBCT and treatment. *Eur Arch Paediatr Dent* 14:179, 2013.
458. Ludlow JB, Gubler M, Cevidanes L, et al: Precision of cephalometric landmark identification: cone-beam computed tomography vs conventional cephalometric views. *Am J Orthod Dentofacial Orthop* 136:312 e1, 2009.
459. Ludlow JB, Laster WS, See M, et al: Accuracy of measurements of mandibular anatomy in cone beam computed tomography images. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 103:534, 2007.
460. Lundgren D, Slotte C, Grondahl K: A novel type of dental tube implant for areas with limited bone height. Clinical and radiographic data from three patients with 5-year follow-up. *Clin Implant Dent Relat Res* 15:509, 2013.
461. Ma ZG, Xie QY, Yang C, et al: An orthodontic technique for minimally invasive extraction of impacted lower third molar. *J Oral Maxillofac Surg* 71:1309, 2013.
462. Maal TJ, de Koning MJ, Plooiij JM, et al: One year postoperative hard and soft tissue volumetric changes after a BSSO mandibular advancement. *Int J Oral Maxillofac Surg* 41:1137, 2012.
463. Madrigal C, Ortega R, Meniz C, et al: Study of available bone for interforaminal implant treatment using cone-beam computed tomography. *Med Oral Patol Oral Cir Bucal* 13:E307, 2008.
464. Maini A, Durning P, Drage N: Resorption: within or without? The benefit of cone-beam computed tomography when diagnosing a case of an internal/external resorption defect. *Br Dent J* 204:135, 2008.
465. Makris N, Stamatakis H, Syriopoulos K, et al: Evaluation of the visibility and the course of the mandibular incisive canal and the lingual foramen using cone-beam computed tomography. *Clin Oral Implants Res* 21:766, 2010.
466. Maloney K, Bastidas J, Freeman K, et al: Cone beam computed tomography and SimPlant materialize dental software versus direct measurement of the width and height of the posterior mandible: an anatomic study. *J Oral Maxillofac Surg* 69:1923, 2011.
467. Mandelaris GA, Rosenfeld AL: The expanding influence of computed tomography and the application of computer-guided implantology. *Pract Proced Aesthet Dent* 20:297, 2008.
468. Maney P, Simmons DE, Palaiologou A, et al: Reliability of implant surgical guides based on soft-tissue models. *J Oral Implantol* 38:723, 2012.
469. Mangano FG, Cirotti B, Sammons RL, et al: Custom-made, root-analogue direct laser metal forming implant: a case report. *Lasers Med Sci* 27:1241, 2012.
470. Mangano FG, De Franco M, Caprioglio A, et al: Immediate, non-submerged, root-analogue direct laser metal sintering (DLMS) implants: a 1-year prospective study on 15 patients. *Lasers Med Sci*, 2013.
471. Maqbool A, Sultan AA, Bottini GB, et al: Pain caused by a dental implant impinging on an accessory inferior alveolar canal: a case report. *Int J Prosthodont* 26:125, 2013.
472. Marquardt P, Witkowski S, Strub J: Three-dimensional navigation in implant dentistry. *Eur J Esthet Dent* 2:80, 2007.
473. Marques AP, Perrella A, Arita ES, et al: Assessment of simulated mandibular condyle bone lesions by cone beam computed tomography. *Braz Oral Res* 24:467, 2010.

474. Marques YM, Botelho TD, Xavier FC, et al: Importance of cone beam computed tomography for diagnosis of calcifying cystic odontogenic tumour associated to odontoma. Report of a case. *Med Oral Patol Oral Cir Bucal* 15:e490, 2010.
475. Marquezan M, Osorio A, Sant'Anna E, et al: Does bone mineral density influence the primary stability of dental implants? A systematic review. *Clin Oral Implants Res* 23:767, 2012.
476. Mast G, Otto S, Mucke T, et al: Incidence of maxillary sinusitis and oro-antral fistulae in bisphosphonate-related osteonecrosis of the jaw. *J Craniomaxillofac Surg* 40:568, 2012.
477. Matsumoto K, Bjornland T, Kai Y, et al: An image-guided technique for puncture of the superior temporomandibular joint cavity: clinical comparison with the conventional puncture technique. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 111:641, 2011.
478. Matsumoto K, Honda K, Sawada K, et al: The thickness of the roof of the glenoid fossa in the temporomandibular joint: relationship to the MRI findings. *Dentomaxillofac Radiol* 35:357, 2006.
479. Matsumoto K, Sato T, Iwanari S, et al: The use of arthrography in the diagnosis of temporomandibular joint synovial chondromatosis. *Dentomaxillofac Radiol* 42:15388284, 2013.
480. Matzen LH, Hintze H, Spin-Neto R, et al: Reproducibility of mandibular third molar assessment comparing two cone beam CT units in a matched pairs design. *Dentomaxillofac Radiol* 42:20130228, 2013.
481. Maverna R, Gracco A: Different diagnostic tools for the localization of impacted maxillary canines: clinical considerations. *Prog Orthod* 8:28, 2007.
482. Mazor Z, Kfir E, Lorean A, et al: Flapless approach to maxillary sinus augmentation using minimally invasive antral membrane balloon elevation. *Implant Dent* 20:434, 2011.
483. Mazzoni S, Badiali G, Lancellotti L, et al: Simulation-guided navigation: a new approach to improve intraoperative three-dimensional reproducibility during orthognathic surgery. *J Craniofac Surg* 21:1698, 2010.
484. McFarland B: The single-visit implant crown technique. *Dent Today* 31:78, 2012.
485. Meng Q, Chen S, Long X, et al: The clinical and radiographic characteristics of condylar osteochondroma. *Oral Surg Oral Med Oral Pathol Oral Radiol* 114:e66, 2012.
486. Merrett SJ, Drage N, Siphahi SD: The use of cone beam computed tomography in planning supernumerary cases. *J Orthod* 40:38, 2013.
487. Mesa F, Souki N, Galindo-Moreno P, et al: Tobacco consumption induces alveolar crest height loss independently of mandibular bone mass and bone density. *Clin Oral Implants Res*, 2013.
488. Metzger MC, Hohlweg-Majert B, Schwarz U, et al: Manufacturing splints for orthognathic surgery using a three-dimensional printer. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 105:e1, 2008.
489. Metzler P, Obwegeser JA, Jacobsen C, et al: Anterior alveolar segmental osteodistraction with a bone-borne device: clinical and radiographic evaluation. *J Oral Maxillofac Surg* 70:2549, 2012.
490. Miles DA: Occult pathology detected in cone beam data volumes. *Alpha Omegan* 103:146, 2010.
491. Miloglu O, Harorli A: Imaging of foreign bodies. *J Oral Maxillofac Surg* 67:2550; author reply 2550, 2009.

492. Miracle AC, Mukherji SK: Conebeam CT of the head and neck, part 2: clinical applications. *AJNR Am J Neuroradiol* 30:1285, 2009.
493. Mischkowski RA, Pulsfort R, Ritter L, et al: Geometric accuracy of a newly developed cone-beam device for maxillofacial imaging. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 104:551, 2007.
494. Mischkowski RA, Ritter L, Neugebauer J, et al: Diagnostic quality of panoramic views obtained by a newly developed digital volume tomography device for maxillofacial imaging. *Quintessence Int* 38:763, 2007.
495. Mischkowski RA, Zinser MJ, Ritter L, et al: Intraoperative navigation in the maxillofacial area based on 3D imaging obtained by a cone-beam device. *Int J Oral Maxillofac Surg* 36:687, 2007.
496. Misirlioglu M, Nalcaci R, Adisen MZ, et al: Bilateral and pseudobilateral tonsilloliths: Three dimensional imaging with cone-beam computed tomography. *Imaging Sci Dent* 43:163, 2013.
497. Miyamoto J, Miyamoto S, Nagasao T, et al: Anthropometric evaluation of bilateral cleft lip nose with cone beam computed tomography in early childhood: Estimation of nasal tip collapse. *J Plast Reconstr Aesthet Surg* 65:169, 2012.
498. Miyamoto J, Nagasao T, Nakajima T, et al: Evaluation of cleft lip bony depression of piriform margin and nasal deformity with cone beam computed tomography: "retruded-like" appearance and anteroposterior position of the alar base. *Plast Reconstr Surg* 120:1612, 2007.
499. Miyazawa K, Kawaguchi M, Tabuchi M, et al: Accurate pre-surgical determination for self-drilling miniscrew implant placement using surgical guides and cone-beam computed tomography. *Eur J Orthod* 32:735, 2010.
500. Momin MA, Matsumoto K, Ejima K, et al: Correlation of mandibular impacted tooth and bone morphology determined by cone beam computed topography on a premise of third molar operation. *Surg Radiol Anat* 35:311, 2013.
501. Momin MA, Okochi K, Watanabe H, et al: Diagnostic accuracy of cone-beam CT in the assessment of mandibular invasion of lower gingival carcinoma: comparison with conventional panoramic radiography. *Eur J Radiol* 72:75, 2009.
502. Monaco G, de Santis G, Gatto MR, et al: Coronectomy: a surgical option for impacted third molars in close proximity to the inferior alveolar nerve. *J Am Dent Assoc* 143:363, 2012.
503. Monje A, Monje F, Gonzalez-Garcia R, et al: Influence of Atrophic Posterior Maxilla Ridge Height on Bone Density and Microarchitecture. *Clin Implant Dent Relat Res*, 2013.
504. Monsour PA, Dudhia R: Implant radiography and radiology. *Aust Dent J* 53 Suppl 1:S11, 2008.
505. Montanari M, Callea M, Yavuz I, et al: A new biological approach to guided bone and tissue regeneration. *BMJ Case Rep* 2013, 2013.
506. Moore WS: Cone beam CT: a new tool for esthetic implant planning. *Tex Dent J* 122:334, 2005.
507. Mordenfeld A, Johansson CB, Albrektsson T, et al: A randomized and controlled clinical trial of two different compositions of deproteinized bovine bone and autogenous bone used for lateral ridge augmentation. *Clin Oral Implants Res* 25:310, 2014.

508. Morea C, Hayek JE, Oleskovicz C, et al: Precise insertion of orthodontic miniscrews with a stereolithographic surgical guide based on cone beam computed tomography data: a pilot study. *Int J Oral Maxillofac Implants* 26:860, 2011.
509. Moren D: Diagnosis and interceptive treatment of palatally displaced canines: a literature review. *Int J Orthod Milwaukee* 23:47, 2012.
510. Mostafa YA, El-Beialy AR, Omar GA, et al: Four curious cases of cone-beam computed tomography. *Am J Orthod Dentofacial Orthop* 137:S136, 2010.
511. Motta AT, Cevidanes LH, Carvalho FA, et al: Three-dimensional regional displacements after mandibular advancement surgery: one year of follow-up. *J Oral Maxillofac Surg* 69:1447, 2011.
512. Mourao CF, Miranda AM, Santos EJ, et al: Lingual cortical mandibular bone depression: frequency and clinical-radiological features in a Brazilian population. *Braz Dent J* 24:157, 2013.
513. Moze K, Hoyte T, Bissoon AK: Cone beam computed tomography in the diagnosis of unilateral condylar hypoplasia: report of a case. *West Indian Med J* 61:739, 2012.
514. Murat S, Kamburoglu K, Ozen T: Accuracy of a newly developed cone-beam computerized tomography-aided surgical guidance system for dental implant placement: an ex vivo study. *J Oral Implantol* 38:706, 2012.
515. Nada RM, Fudalej PS, Maal TJ, et al: Three-dimensional prospective evaluation of tooth-borne and bone-borne surgically assisted rapid maxillary expansion. *J Craniomaxillofac Surg* 40:757, 2012.
516. Nada RM, van Loon B, Maal TJ, et al: Three-dimensional evaluation of soft tissue changes in the orofacial region after tooth-borne and bone-borne surgically assisted rapid maxillary expansion. *Clin Oral Investig* 17:2017, 2013.
517. Nada RM, van Loon B, Schols JG, et al: Volumetric changes of the nose and nasal airway 2 years after tooth-borne and bone-borne surgically assisted rapid maxillary expansion. *Eur J Oral Sci* 121:450, 2013.
518. Nadjmi N, Mollemans W, Daelemans A, et al: Virtual occlusion in planning orthognathic surgical procedures. *Int J Oral Maxillofac Surg* 39:457, 2010.
519. Nah KS: Condylar bony changes in patients with temporomandibular disorders: a CBCT study. *Imaging Sci Dent* 42:249, 2012.
520. Nair UP, Nair MK: Maxillary sinusitis of odontogenic origin: cone-beam volumetric computerized tomography-aided diagnosis. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 110:e53, 2010.
521. Naitoh M, Nabeshima H, Hayashi H, et al: Postoperative assessment of incisor dental implants using cone-beam computed tomography. *J Oral Implantol* 36:377, 2010.
522. Naitoh M, Nakahara K, Hiraiwa Y, et al: Observation of buccal foramen in mandibular body using cone-beam computed tomography. *Okajimas Folia Anat Jpn* 86:25, 2009.
523. Naitoh M, Suenaga Y, Kondo S, et al: Assessment of maxillary sinus septa using cone-beam computed tomography: etiological consideration. *Clin Implant Dent Relat Res* 11 Suppl 1:e52, 2009.
524. Naitoh M, Yoshida K, Nakahara K, et al: Demonstration of the accessory mental foramen using rotational panoramic radiography compared with cone-beam computed tomography. *Clin Oral Implants Res* 22:1415, 2011.
525. Nakagawa Y, Ishii H, Nomura Y, et al: Third molar position: reliability of panoramic radiography. *J Oral Maxillofac Surg* 65:1303, 2007.

526. Nakagawa Y, Kobayashi K, Ishii H, et al: Preoperative application of limited cone beam computerized tomography as an assessment tool before minor oral surgery. *Int J Oral Maxillofac Surg* 31:322, 2002.
527. Nakayama K, Nonoyama M, Takaki Y, et al: Assessment of the relationship between impacted mandibular third molars and inferior alveolar nerve with dental 3-dimensional computed tomography. *J Oral Maxillofac Surg* 67:2587, 2009.
528. Nawa H, Oberoi S, Vargervik K: Taurodontism and Van der Woude syndrome. Is there an association? *Angle Orthod* 78:832, 2008.
529. Nematollahi H, Abadi H, Mohammadzade Z, et al: The Use of Cone Beam Computed Tomography (CBCT) to Determine Supernumerary and Impacted Teeth Position in Pediatric Patients: A Case Report. *J Dent Res Dent Clin Dent Prospects* 7:47, 2013.
530. Neugebauer J, Kistler F, Kistler S, et al: CAD/CAM-produced surgical guides: Optimizing the treatment workflow. *Int J Comput Dent* 14:93, 2011.
531. Neugebauer J, Ritter L, Mischkowski RA, et al: Evaluation of maxillary sinus anatomy by cone-beam CT prior to sinus floor elevation. *Int J Oral Maxillofac Implants* 25:258, 2010.
532. Neugebauer J, Shirani R, Mischkowski RA, et al: Comparison of cone-beam volumetric imaging and combined plain radiographs for localization of the mandibular canal before removal of impacted lower third molars. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 105:633, 2008.
533. Neves FS, Souza TC, Almeida SM, et al: Correlation of panoramic radiography and cone beam CT findings in the assessment of the relationship between impacted mandibular third molars and the mandibular canal. *Dentomaxillofac Radiol* 41:553, 2012.
534. Neves M, Correia A, Alves CC: A novel approach to preserve the buccal wall in immediate implant cases: a clinical report. *J Oral Implantol* 39:198, 2013.
535. Nickenig HJ, Eitner S: Reliability of implant placement after virtual planning of implant positions using cone beam CT data and surgical (guide) templates. *J Craniomaxillofac Surg* 35:207, 2007.
536. Nickenig HJ, Eitner S: An alternative method to match planned and achieved positions of implants, after virtual planning using cone-beam CT data and surgical guide templates--a method reducing patient radiation exposure (part I). *J Craniomaxillofac Surg* 38:436, 2010.
537. Nickenig HJ, Wichmann M, Hamel J, et al: Evaluation of the difference in accuracy between implant placement by virtual planning data and surgical guide templates versus the conventional free-hand method - a combined in vivo - in vitro technique using cone-beam CT (Part II). *J Craniomaxillofac Surg* 38:488, 2010.
538. Nickenig HJ, Wichmann M, Schlegel KA, et al: Radiographic evaluation of marginal bone levels during healing period, adjacent to parallel-screw cylinder implants inserted in the posterior zone of the jaws, placed with flapless surgery. *Clin Oral Implants Res* 21:1386, 2010.
539. Nishida T, Takenouchi Y, Mori K, et al: Remodeling of autogenous bone grafts after osteotome sinus floor elevation assessed by limited cone beam computed tomography. *Int J Dent* 2013:931708, 2013.
540. Nobre RM, Ribeiro AL, Alves-Junior SM, et al: Dentomaxillofacial manifestations of Gaucher's disease: preliminary clinical and radiographic findings. *Dentomaxillofac Radiol* 41:541, 2012.

541. Nowzari H, Molayem S, Chiu CH, et al: Cone beam computed tomographic measurement of maxillary central incisors to determine prevalence of facial alveolar bone width ≥ 2 mm. *Clin Implant Dent Relat Res* 14:595, 2012.
542. Nurko C: Three-dimensional imaging cone beam computer tomography technology: an update and case report of an impacted incisor in a mixed dentition patient. *Pediatr Dent* 32:356, 2010.
543. Oberoi S, Chigurupati R, Gill P, et al: Volumetric assessment of secondary alveolar bone grafting using cone beam computed tomography. *Cleft Palate Craniofac J* 46:503, 2009.
544. Oberoi S, Gill P, Chigurupati R, et al: Three-dimensional assessment of the eruption path of the canine in individuals with bone-grafted alveolar clefts using cone beam computed tomography. *Cleft Palate Craniofac J* 47:507, 2010.
545. Oh KM, Seo SK, Park JE, et al: Post-operative soft tissue changes in patients with mandibular prognathism after bimaxillary surgery. *J Craniomaxillofac Surg* 41:204, 2013.
546. Oliveira-Santos C, Capelozza AL, Dezzoti MS, et al: Visibility of the mandibular canal on CBCT cross-sectional images. *J Appl Oral Sci* 19:240, 2011.
547. Omami G, Mathew R, Gianoli D, et al: Enormous aneurysmal bone cyst of the mandible: case report and radiologic-pathologic correlation. *Oral Surg Oral Med Oral Pathol Oral Radiol* 114:e75, 2012.
548. Onder B, Kursun S, Oztas B, et al: Florid osseous dysplasia in a middle-aged Turkish woman: A case report. *Imaging Sci Dent* 43:197, 2013.
549. Oosterkamp BC, Damstra J, Jansma J: [Facial asymmetry: the benefits of cone beam computerized tomography]. *Ned Tijdschr Tandheelkd* 117:269, 2010.
550. Orentlicher G, Goldsmith D, Horowitz A: Applications of 3-dimensional virtual computerized tomography technology in oral and maxillofacial surgery: current therapy. *J Oral Maxillofac Surg* 68:1933, 2010.
551. Orhan K, Uyanik LO, Erkmén E, et al: Unusually severe limitation of the jaw attributable to fibrodysplasia ossificans progressiva: a case report with cone-beam computed tomography findings. *Oral Surg Oral Med Oral Pathol Oral Radiol* 113:404, 2012.
552. Ozan O, Seker E, Kurtulmus-Yilmaz S, et al: Clinical application of stereolithographic surgical guide with a handpiece guidance apparatus: a case report. *J Oral Implantol* 38:603, 2012.
553. Falconet G, Ludlow JB, Tyndall DA, et al: Correlating cone beam CT results with temporomandibular joint pain of osteoarthritic origin. *Dentomaxillofac Radiol* 41:126, 2012.
554. Palomo L, Palomo JM: Cone beam CT for diagnosis and treatment planning in trauma cases. *Dent Clin North Am* 53:717, 2009.
555. Park J, Cho HJ: Three-dimensional evaluation of interradicular spaces and cortical bone thickness for the placement and initial stability of microimplants in adults. *Am J Orthod Dentofacial Orthop* 136:314 e1, 2009.
556. Park JH, Srisurapol T, Tai K: Impacted maxillary canines: diagnosis and management. *Dent Today* 31:62, 2012.
557. Park JH, Tai K, Sato Y, et al: A case of Klippel-Feil and Turner syndromes. *Pediatr Dent* 34:e35, 2012.

558. Park SB, Kim YI, Hwang DS, et al: Midfacial soft-tissue changes after mandibular setback surgery with or without paranasal augmentation: cone-beam computed tomography (CBCT) volume superimposition. *J Craniomaxillofac Surg* 41:119, 2013.
559. Park SB, Kim YI, Son WS, et al: Cone-beam computed tomography evaluation of short- and long-term airway change and stability after orthognathic surgery in patients with Class III skeletal deformities: bimaxillary surgery and mandibular setback surgery. *Int J Oral Maxillofac Surg* 41:87, 2012.
560. Park SB, Yang YM, Kim YI, et al: Effect of bimaxillary surgery on adaptive condylar head remodeling: metric analysis and image interpretation using cone-beam computed tomography volume superimposition. *J Oral Maxillofac Surg* 70:1951, 2012.
561. Park SB, Yoon JK, Kim YI, et al: The evaluation of the nasal morphologic changes after bimaxillary surgery in skeletal class III malocclusion by using the superimposition of cone-beam computed tomography (CBCT) volumes. *J Craniomaxillofac Surg* 40:e87, 2012.
562. Park YT, Kim SG, Moon SY: Indirect compressive injury to the inferior alveolar nerve caused by dental implant placement. *J Oral Maxillofac Surg* 70:e258, 2012.
563. Parnia F, Fard EM, Mahboub F, et al: Tomographic volume evaluation of submandibular fossa in patients requiring dental implants. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 109:e32, 2010.
564. Parsa A, Ibrahim N, Hassan B, et al: Influence of cone beam CT scanning parameters on grey value measurements at an implant site. *Dentomaxillofac Radiol* 42:79884780, 2013.
565. Patel N: Integrating three-dimensional digital technologies for comprehensive implant dentistry. *J Am Dent Assoc* 141 Suppl 2:20S, 2010.
566. Patel NA, Ferguson BJ: Odontogenic sinusitis: an ancient but under-appreciated cause of maxillary sinusitis. *Curr Opin Otolaryngol Head Neck Surg* 20:24, 2012.
567. Patel S: The use of cone beam computed tomography in the conservative management of dens invaginatus: a case report. *Int Endod J* 43:707, 2010.
568. Patel S, Dawood A, Mannocci F, et al: Detection of periapical bone defects in human jaws using cone beam computed tomography and intraoral radiography. *Int Endod J* 42:507, 2009.
569. Patel V, Harwood A, McGurk M: Osteomyelitis presenting in two patients: a challenging disease to manage. *Br Dent J* 209:393, 2010.
570. Pavoni C, Mucedero M, Lagana G, et al: Impacted maxillary incisors: diagnosis and predictive measurements. *Ann Stomatol (Roma)* 3:100, 2012.
571. Peck JN, Conte GJ: Radiologic techniques using CBCT and 3-D treatment planning for implant placement. *J Calif Dent Assoc* 36:287, 2008.
572. Petersson A: What you can and cannot see in TMJ imaging--an overview related to the RDC/TMD diagnostic system. *J Oral Rehabil* 37:771, 2010.
573. Pette GA, Norkin FJ, Ganeles J, et al: Incidental findings from a retrospective study of 318 cone beam computed tomography consultation reports. *Int J Oral Maxillofac Implants* 27:595, 2012.
574. Pigg M: Chronic intraoral pain--assessment of diagnostic methods and prognosis. *Swed Dent J Suppl*:7, 2011.
575. Pinheiro LR, Pinheiro JJ, Junior SA, et al: Clinical and imagiological findings of central giant cell lesion and cherubism. *Braz Dent J* 24:74, 2013.

576. Pires CA, Bissada NF, Becker JJ, et al: Mandibular incisive canal: cone beam computed tomography. *Clin Implant Dent Relat Res* 14:67, 2012.
577. Platt MP, Cunnane ME, Curtin HD, et al: Anatomical changes of the ethmoid cavity after endoscopic sinus surgery. *Laryngoscope* 118:2240, 2008.
578. Plooij JM, Naphausen MT, Maal TJ, et al: 3D evaluation of the lingual fracture line after a bilateral sagittal split osteotomy of the mandible. *Int J Oral Maxillofac Surg* 38:1244, 2009.
579. Pogrel MA: Partial odontectomy. *Oral Maxillofac Surg Clin North Am* 19:85, 2007.
580. Pohlenz P, Blake F, Blessmann M, et al: Intraoperative cone-beam computed tomography in oral and maxillofacial surgery using a C-arm prototype: first clinical experiences after treatment of zygomaticomaxillary complex fractures. *J Oral Maxillofac Surg* 67:515, 2009.
581. Pohlenz P, Blessmann M, Blake F, et al: Major mandibular surgical procedures as an indication for intraoperative imaging. *J Oral Maxillofac Surg* 66:324, 2008.
582. Pohlenz P, Blessmann M, Blake F, et al: Clinical indications and perspectives for intraoperative cone-beam computed tomography in oral and maxillofacial surgery. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 103:412, 2007.
583. Pokorny A, Tataryn R: Clinical and radiologic findings in a case series of maxillary sinusitis of dental origin. *Int Forum Allergy Rhinol* 3:973, 2013.
584. Popat H, Richmond S, Drage NA: New developments in: three-dimensional planning for orthognathic surgery. *J Orthod* 37:62, 2010.
585. Popescu MA, Dinca O, Bucur A: [Computed tomography investigation of temporomandibular joint in surgery of dento-maxillary anomalies]. *Chirurgia (Bucur)* 104:583, 2009.
586. Pourdanesh F, Mohamadi M, Khojasteh A, et al: Exfoliation and simultaneous formation of condylar process following chronic osteomyelitis of the mandible. *J Craniofac Surg* 23:e319, 2012.
587. Pradel W, Lauer G: Tissue-engineered bone grafts for osteoplasty in patients with cleft alveolus. *Ann Anat* 194:545, 2012.
588. Prado Ribeiro AC, Carlos R, Speight PM, et al: Peritrabecular clefting in fibrous dysplasia of the jaws: an important histopathologic feature for differentiating fibrous dysplasia from central ossifying fibroma. *Oral Surg Oral Med Oral Pathol Oral Radiol* 114:503, 2012.
589. Price JB, Thaw KL, Tyndall DA, et al: Incidental findings from cone beam computed tomography of the maxillofacial region: a descriptive retrospective study. *Clin Oral Implants Res* 23:1261, 2012.
590. Puterman I, Kan JY, Rungcharassaeng K, et al: Biological adaptation to misfits of immediately loaded fixed prostheses following computer-guided surgery. *J Prosthodont* 21:185, 2012.
591. Quereshy FA, Barnum G, Demko C, et al: Use of cone beam computed tomography to volumetrically assess alveolar cleft defects--preliminary results. *J Oral Maxillofac Surg* 70:188, 2012.
592. Quereshy FA, Dhaliwal HS, El SA, et al: Resorbable screw fixation for cortical onlay bone grafting: a pilot study with preliminary results. *J Oral Maxillofac Surg* 68:2497, 2010.

593. Quereshy FA, Savell TA, Palomo JM: Applications of cone beam computed tomography in the practice of oral and maxillofacial surgery. *J Oral Maxillofac Surg* 66:791, 2008.
594. Quevedo LA, Ruiz JV, Quevedo CA: Using a clinical protocol for orthognathic surgery and assessing a 3-dimensional virtual approach: current therapy. *J Oral Maxillofac Surg* 69:623, 2011.
595. Quirynen M, Lefever D, Hellings P, et al: Transient swelling of the Schneiderian membrane after transversal sinus augmentation: a pilot study. *Clin Oral Implants Res* 25:36, 2014.
596. Raes F, Renckens L, Aps J, et al: Reliability of circumferential bone level assessment around single implants in healed ridges and extraction sockets using cone beam CT. *Clin Implant Dent Relat Res* 15:661, 2013.
597. Raffaini M, Pisani C: Clinical and cone-beam computed tomography evaluation of the three-dimensional increase in pharyngeal airway space following maxillo-mandibular rotation-advancement for Class II-correction in patients without sleep apnoea (OSA). *J Craniomaxillofac Surg* 41:552, 2013.
598. Ramesh A, Ganguly R: Incidental dental radiographic findings: dense bone islands. *J Mass Dent Soc* 59:48, 2010.
599. Ramesh A, Ganguly R: 3-D imaging and dental implants. *J Mass Dent Soc* 59:42, 2011.
600. Ramesh A, Pabla T: Mucous retention cyst of maxillary sinuses. *J Mass Dent Soc* 57:14, 2008.
601. Ramesh A, Pabla T: Incidental finding on dental radiographs: benign fibro-osseous lesions of the jaws. *J Mass Dent Soc* 57:60, 2008.
602. Ramesh A, Pabla T: Incidental finding on dental radiographs: odontoma. *J Mass Dent Soc* 57:40, 2009.
603. Ramesh A, Pabla T: Incidental findings on dental radiographs: dentigerous cyst. *J Mass Dent Soc* 58:42, 2009.
604. Ramesh A, Pabla T: Incidental findings on dental radiographs: Stafne bone defect. *J Mass Dent Soc* 58:42, 2009.
605. Razavi T, Palmer RM, Davies J, et al: Accuracy of measuring the cortical bone thickness adjacent to dental implants using cone beam computed tomography. *Clin Oral Implants Res* 21:718, 2010.
606. Redelinguys IF, Holtshousen WS: Fracture of the genial tubercles associated with a mandibular denture: a clinical report and review of the literature. *SADJ* 66:230, 2011.
607. Rege IC, Costa NL, Batista AC, et al: High-grade primary leiomyosarcoma in the mandible: diagnosis and treatment. *Head Neck* 35:E44, 2013.
608. Rege IC, Sousa TO, Leles CR, et al: Occurrence of maxillary sinus abnormalities detected by cone beam CT in asymptomatic patients. *BMC Oral Health* 12:30, 2012.
609. Renton T: Update on coronectomy. A safer way to remove high risk mandibular third molars. *Dent Update* 40:362, 2013.
610. Rigolone M, Pasqualini D, Bianchi L, et al: Vestibular surgical access to the palatine root of the superior first molar: "low-dose cone-beam" CT analysis of the pathway and its anatomic variations. *J Endod* 29:773, 2003.
611. Ritter L, Lutz J, Neugebauer J, et al: Prevalence of pathologic findings in the maxillary sinus in cone-beam computerized tomography. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 111:634, 2011.

612. Ritter L, Neugebauer J, Mischkowski RA, et al: Evaluation of the course of the inferior alveolar nerve in the mental foramen by cone beam computed tomography. *Int J Oral Maxillofac Implants* 27:1014, 2012.
613. Rodrigues CD, Estrela C: Traumatic bone cyst suggestive of large apical periodontitis. *J Endod* 34:484, 2008.
614. Roe P, Kan JY, Rungcharassaeng K, et al: Horizontal and vertical dimensional changes of peri-implant facial bone following immediate placement and provisionalization of maxillary anterior single implants: a 1-year cone beam computed tomography study. *Int J Oral Maxillofac Implants* 27:393, 2012.
615. Roeder F, Wachtlin D, Schulze R: Necessity of 3D visualization for the removal of lower wisdom teeth: required sample size to prove non-inferiority of panoramic radiography compared to CBCT. *Clin Oral Investig* 16:699, 2012.
616. Rohner D, Hailemariam S, Hammer B: Le Fort I osteotomies using Bio-Oss(R) collagen to promote bony union: a prospective clinical split-mouth study. *Int J Oral Maxillofac Surg* 42:585, 2013.
617. Romanos GE, Gupta B, Crespi R: Endosseous arteries in the anterior mandible: literature review. *Int J Oral Maxillofac Implants* 27:90, 2012.
618. Romanos GE, Gupta B, Davids R, et al: Distribution of endosseous bony canals in the mandibular symphysis as detected with cone beam computed tomography. *Int J Oral Maxillofac Implants* 27:273, 2012.
619. Rosa MB, Sotto-Maior BS, Machado Vde C, et al: Retrospective study of the anterior loop of the inferior alveolar nerve and the incisive canal using cone beam computed tomography. *Int J Oral Maxillofac Implants* 28:388, 2013.
620. Rosenberg PA, Frisbie J, Lee J, et al: Evaluation of pathologists (histopathology) and radiologists (cone beam computed tomography) differentiating radicular cysts from granulomas. *J Endod* 36:423, 2010.
621. Rossini G, Cavallini C, Cassetta M, et al: Localization of impacted maxillary canines using cone beam computed tomography. Review of the literature. *Ann Stomatol (Roma)* 3:14, 2012.
622. Rugani P, Kirnbauer B, Arnetzl GV, et al: Cone beam computerized tomography: basics for digital planning in oral surgery and implantology. *Int J Comput Dent* 12:131, 2009.
623. Ruiz JL: An evidence-based concept of implant dentistry. Utilization of short and narrow platform implants. *Dent Today* 31:94, 2012.
624. Ryckman MS, Harrison S, Oliver D, et al: Soft-tissue changes after maxillomandibular advancement surgery assessed with cone-beam computed tomography. *Am J Orthod Dentofacial Orthop* 137:S86, 2010.
625. Saavedra-Abril JA, Balhen-Martin C, Zaragoza-Velasco K, et al: Dental multisection CT for the placement of oral implants: technique and applications. *Radiographics* 30:1975, 2010.
626. Sabour S: Commentary on "Reliability of two different presurgical preparation methods for implant dentistry based on panoramic radiography and cone-beam computed tomography in cadavers". *J Periodontal Implant Sci* 42:144, 2012.
627. Sadiq Z, Bisase B, Coombes DM: Use of cone beam computed tomography in the management of glass injuries to the face. *Br J Oral Maxillofac Surg* 48:308, 2010.
628. Sahai S, Kaveriappa S, Arora H, et al: 3-D imaging in post-traumatic malformation and eruptive disturbance in permanent incisors: a case report. *Dent Traumatol* 27:473, 2011.

629. Sakabe R, Sakabe J, Kuroki Y, et al: Evaluation of temporomandibular disorders in children using limited cone-beam computed tomography: a case report. *J Clin Pediatr Dent* 31:14, 2006.
630. Salimov F, Tatli U, Kurkcu M, et al: Evaluation of relationship between preoperative bone density values derived from cone beam computed tomography and implant stability parameters: a clinical study. *Clin Oral Implants Res*, 2013.
631. San Martin DE, English JD, Kau CH, et al: The KPG index--a novel 3D classification system for maxillary canine impactions. *Tex Dent J* 129:265, 2012.
632. Sanders DA, Rigali PH, Neace WP, et al: Skeletal and dental asymmetries in Class II subdivision malocclusions using cone-beam computed tomography. *Am J Orthod Dentofacial Orthop* 138:542 e1, 2010.
633. Santagata M, Guariniello L, Tartaro G: A modified edentulous ridge expansion technique and immediate implant placement: a 3-year follow-up. *J Oral Implantol*, 2013.
634. Santos Tde S, Gomes AC, de Melo DG, et al: Evaluation of reliability and reproducibility of linear measurements of cone-beam-computed tomography. *Indian J Dent Res* 23:473, 2012.
635. Sarment DP, Sukovic P, Clinthorne N: Accuracy of implant placement with a stereolithographic surgical guide. *Int J Oral Maxillofac Implants* 18:571, 2003.
636. Sato I, Arai H, Asami R, et al: Classifications of tunnel-like structure of human petrotympanic fissure by cone beam CT. *Surg Radiol Anat* 30:323, 2008.
637. Sato S, Arai Y, Shinoda K, et al: Clinical application of a new cone-beam computerized tomography system to assess multiple two-dimensional images for the preoperative treatment planning of maxillary implants: case reports. *Quintessence Int* 35:525, 2004.
638. Scarfe W, Vaughn WS, Farman AG, et al: Comparison of restoratively projected and surgically acceptable virtual implant position for mandibular overdentures. *Int J Oral Maxillofac Implants* 27:111, 2012.
639. Scarfe WC, Farman AG: What is cone-beam CT and how does it work? *Dent Clin North Am* 52:707, 2008.
640. Scarfe WC, Li Z, Aboelmaaty W, et al: Maxillofacial cone beam computed tomography: essence, elements and steps to interpretation. *Aust Dent J* 57 Suppl 1:46, 2012.
641. Schendel S, Powell N, Jacobson R: Maxillary, mandibular, and chin advancement: treatment planning based on airway anatomy in obstructive sleep apnea. *J Oral Maxillofac Surg* 69:663, 2011.
642. Schendel SA, Jacobson R: Three-dimensional imaging and computer simulation for office-based surgery. *J Oral Maxillofac Surg* 67:2107, 2009.
643. Schendel SA, Jacobson R, Khalessi S: 3-dimensional facial simulation in orthognathic surgery: is it accurate? *J Oral Maxillofac Surg* 71:1406, 2013.
644. Scherer P, Mischkowski RA, Seifert H, et al: Solitary hydatid cyst in the mandible: case report and review of the literature. *J Oral Maxillofac Surg* 66:1731, 2008.
645. Schiel S, Mayer P, Probst F, et al: Transoral open reduction and fixation of mandibular condylar base and neck fractures in children and young teenagers--a beneficial treatment option? *J Oral Maxillofac Surg* 71:1220, 2013.
646. Schilling J, Gomes LC, Benavides E, et al: Regional 3D superimposition to assess temporomandibular joint condylar morphology. *Dentomaxillofac Radiol* 43:20130273, 2014.

647. Schirotli G, Angiero F, Silvestrini-Biavati A, et al: Zygomatic implant placement with flapless computer-guided surgery: a proposed clinical protocol. *J Oral Maxillofac Surg* 69:2979, 2011.
648. Schlueter B, Kim KB, Oliver D, et al: Cone beam computed tomography 3D reconstruction of the mandibular condyle. *Angle Orthod* 78:880, 2008.
649. Schneider AC, Bragger U, Sendi P, et al: Characteristics and dimensions of the sinus membrane in patients referred for single-implant treatment in the posterior maxilla: a cone beam computed tomographic analysis. *Int J Oral Maxillofac Implants* 28:587, 2013.
650. Schneiderman ED, Xu H, Salyer KE: Characterization of the maxillary complex in unilateral cleft lip and palate using cone-beam computed tomography: a preliminary study. *J Craniofac Surg* 20 Suppl 2:1699, 2009.
651. Schnider N, Reichart PA, Bornstein MM: Intraoral foreign bodies detected 40 years after a car accident using cone beam computed tomography. *Quintessence Int* 43:741, 2012.
652. Schnitman PA, Lee SJ, Campard GJ, et al: Guided flapless surgery with immediate loading for the high narrow ridge without grafting. *J Oral Implantol* 38:279, 2012.
653. Schoen R, Fakler O, Metzger MC, et al: Preliminary functional results of endoscope-assisted transoral treatment of displaced bilateral condylar mandible fractures. *Int J Oral Maxillofac Surg* 37:111, 2008.
654. Schulz M, Reichart PA, Stich H, et al: Bilateral malformation of maxillary third molars. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 108:e25, 2009.
655. Schulze D: Radiographic diagnostics: Osteoma of the left mandibular notch. *Quintessence Int* 39:702, 2008.
656. Schulze D: Metastasis of a bronchial carcinoma in the left condylar process. *Quintessence Int* 39:616, 2008.
657. Schulze D: Radiographic diagnostics: Keratocyst of the left mandible. *Quintessence Int* 40:86, 2009.
658. Schulze D, Blessmann M, Pohlenz P, et al: Diagnostic criteria for the detection of mandibular osteomyelitis using cone-beam computed tomography. *Dentomaxillofac Radiol* 35:232, 2006.
659. Schwarz F, Sahm N, Mihatovic I, et al: Surgical therapy of advanced ligature-induced peri-implantitis defects: cone-beam computed tomographic and histological analysis. *J Clin Periodontol* 38:939, 2011.
660. Sclar AG: Guidelines for flapless surgery. *J Oral Maxillofac Surg* 65:20, 2007.
661. Sclar AG, Best SP: The combined use of rhBMP-2/ACS, autogenous bone graft, a bovine bone mineral biomaterial, platelet-rich plasma, and guided bone regeneration at nonsubmerged implant placement for supracrestal bone augmentation. A case report. *Int J Oral Maxillofac Implants* 28:e272, 2013.
662. Sears CR, Miller AJ, Chang MK, et al: Comparison of pharyngeal airway changes on plain radiography and cone-beam computed tomography after orthognathic surgery. *J Oral Maxillofac Surg* 69:e385, 2011.
663. Seeberger R, Kater W, Schulte-Geers M, et al: Changes after surgically-assisted maxillary expansion (SARME) to the dentoalveolar, palatal and nasal structures by using tooth-borne distraction devices. *Br J Oral Maxillofac Surg* 49:381, 2011.
664. Sekerci AE, Sisman Y, Etoz M, et al: Aberrant Anatomical Variation of Maxillary Sinus Mimicking Periapical Cyst: A Report of Two Cases and Role of CBCT in Diagnosis. *Case Rep Dent* 2013:757645, 2013.

665. Selvi F, Cakarer S, Keskin C, et al: Delayed removal of a maxillary third molar accidentally displaced into the infratemporal fossa. *J Craniofac Surg* 22:1391, 2011.
666. Selvi F, Dodson TB, Nattestad A, et al: Factors that are associated with injury to the inferior alveolar nerve in high-risk patients after removal of third molars. *Br J Oral Maxillofac Surg* 51:868, 2013.
667. Serrant P, Mani WR, Clark S: Gun pellet radiopacity. *Br Dent J* 213:147, 2012.
668. Sethi A, Kaus T, Sharma N, et al: Managing the edentulous mandible using recent technological developments: a case study. *Prim Dent J* 2:50, 2013.
669. Shafi MI, Ayoub A, Ju X, et al: The accuracy of three-dimensional prediction planning for the surgical correction of facial deformities using Maxilim. *Int J Oral Maxillofac Surg* 42:801, 2013.
670. Shahbazian M, Vandewoude C, Wyatt J, et al: Comparative assessment of panoramic radiography and CBCT imaging for radiodiagnostics in the posterior maxilla. *Clin Oral Investig* 18:293, 2014.
671. Shahidi S, Vojdani M, Paknahad M: Correlation between articular eminence steepness measured with cone-beam computed tomography and clinical dysfunction index in patients with temporomandibular joint dysfunction. *Oral Surg Oral Med Oral Pathol Oral Radiol* 116:91, 2013.
672. Shahidi S, Zamiri B, Bronoosh P: Comparison of panoramic radiography with cone beam CT in predicting the relationship of the mandibular third molar roots to the alveolar canal. *Imaging Sci Dent* 43:105, 2013.
673. Shanbhag S, Karnik P, Shirke P, et al: Cone-beam computed tomographic analysis of sinus membrane thickness, ostium patency, and residual ridge heights in the posterior maxilla: implications for sinus floor elevation. *Clin Oral Implants Res* 25:755, 2014.
674. Shapira IL: Risk of paresthesia. *J Am Dent Assoc* 141:828, 2010.
675. Shapiro SA: Case presentation: full mouth implant treatment via a trio of modalities. *Dent Implantol Update* 22:81, 2011.
676. Shawky MM, El-Ghareeb TI, Hameed Abu Hummos LA: Evaluation of the three-dimensional soft tissue changes after anterior segmental maxillary osteotomy. *Int J Oral Maxillofac Surg* 41:718, 2012.
677. Sheikhi M, Mosavat F, Jalalian F, et al: Central cementifying fibroma of maxilla. *Dent Res J (Isfahan)* 10:122, 2013.
678. Shelley AM, Glenny AM, Goodwin M, et al: Conventional radiography and cross-sectional imaging when planning dental implants in the anterior edentulous mandible to support an overdenture: a systematic review. *Dentomaxillofac Radiol* 43:20130321, 2014.
679. Shelley AM, Wardle L, Goodwin M, et al: A questionnaire study to investigate custom and practice of imaging methods for the anterior region of the mandible prior to dental implant placement. *Dentomaxillofac Radiol* 42:20120179, 2013.
680. Shintaku WH, Venturin JS, Azevedo B, et al: Applications of cone-beam computed tomography in fractures of the maxillofacial complex. *Dent Traumatol* 25:358, 2009.
681. Shintaku WH, Venturin JS, Langlais RP, et al: Imaging modalities to access bony tumors and hyperplastic reactions of the temporomandibular joint. *J Oral Maxillofac Surg* 68:1911, 2010.
682. Silveira LF, Silveira CF, Martos J, et al: Clinical technique for invasive cervical root resorption. *J Conserv Dent* 14:440, 2011.

683. Simon JH, Enciso R, Malfaz JM, et al: Differential diagnosis of large periapical lesions using cone-beam computed tomography measurements and biopsy. *J Endod* 32:833, 2006.
684. Singer SR, Mupparapu M: Plain film and CBCT findings in a case of bisphosphonate-related osteonecrosis of the jaw. *Quintessence Int* 40:163, 2009.
685. Singer SR, Mupparapu M, Philipone E: Cone beam computed tomography findings in a case of plexiform ameloblastoma. *Quintessence Int* 40:627, 2009.
686. Singh P: Cone beam computed tomography: a new trend for craniofacial treatment planning. *Biomed J* 36:152, 2013.
687. Sirin Y, Horasan S, Yaman D, et al: Detection of crestal radiolucencies around dental implants: an in vitro experimental study. *J Oral Maxillofac Surg* 70:1540, 2012.
688. Sisti A, Canullo L, Mottola MP, et al: Clinical evaluation of a ridge augmentation procedure for the severely resorbed alveolar socket: multicenter randomized controlled trial, preliminary results. *Clin Oral Implants Res* 23:526, 2012.
689. Sisti A, Canullo L, Mottola MP, et al: A case series on crestal sinus elevation with rotary instruments. *Eur J Oral Implantol* 4:145, 2011.
690. Smith MH, Brooks SL, Eldevik OP, et al: Anterior mandibular lingual salivary gland defect: a report of a case diagnosed with cone-beam computed tomography and magnetic resonance imaging. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 103:e71, 2007.
691. Sohn DS, Heo JU, Kwak DH, et al: Bone regeneration in the maxillary sinus using an autologous fibrin-rich block with concentrated growth factors alone. *Implant Dent* 20:389, 2011.
692. Sohn DS, Lee HJ, Heo JU, et al: Immediate and delayed lateral ridge expansion technique in the atrophic posterior mandibular ridge. *J Oral Maxillofac Surg* 68:2283, 2010.
693. Sohn DS, Moon JW, Moon KN, et al: New bone formation in the maxillary sinus using only absorbable gelatin sponge. *J Oral Maxillofac Surg* 68:1327, 2010.
694. Sokhn S, Nasseh I, Noujeim M: Using cone beam computed tomography to determine safe regions for implant placement. *Gen Dent* 59:e72, 2011.
695. Song WW, Kim SS, Sandor GK, et al: Maxillary yaw as the primary predictor of maxillary dental midline deviation: 3D analysis using cone-beam computed tomography. *J Oral Maxillofac Surg* 71:752, 2013.
696. Song YD, Jun SH, Kwon JJ: Correlation between bone quality evaluated by cone-beam computerized tomography and implant primary stability. *Int J Oral Maxillofac Implants* 24:59, 2009.
697. Stachulla G: Potential of 3D guided implantology. *Int J Comput Dent* 15:67, 2012.
698. Stadeker WJ: Aesthetic loading of implants. *Dent Today* 27:104, 2008.
699. Stern I, Greenberg MS: Clinical assessment of patients with orofacial pain and temporomandibular disorders. *Dent Clin North Am* 57:393, 2013.
700. Stiefel KR, Baumgarten L: Coronectomy with the diagnostic use of CBCT to aid in the prevention of iatrogenic damage to the inferior alveolar nerve. *Gen Dent* 60:224, 2012.
701. Stoetzer M, Nickel F, Rana M, et al: Advances in assessing the volume of odontogenic cysts and tumors in the mandible: a retrospective clinical trial. *Head Face Med* 9:14, 2013.

702. Stoetzer M, Rana M, von See C, et al: Reconstruction of defects of maxillary sinus wall after removal of a huge odontogenic lesion using prebended 3D titanium-mesh and CAD/CAM technique. *Head Face Med* 7:21, 2011.
703. Strauss RA, Wang N: Cone beam computed tomography and obstructive sleep apnoea. *Aust Dent J* 57 Suppl 1:61, 2012.
704. Stuck BA, Hulse R, Barth TJ: Intraoperative cone beam computed tomography in the management of facial fractures. *Int J Oral Maxillofac Surg* 41:1171, 2012.
705. Stuehmer C, Blum KS, Kokemueller H, et al: Influence of different types of guns, projectiles, and propellants on patterns of injury to the viscerocranium. *J Oral Maxillofac Surg* 67:775, 2009.
706. Stuehmer C, Essig H, Bormann KH, et al: Cone beam CT imaging of airgun injuries to the craniomaxillofacial region. *Int J Oral Maxillofac Surg* 37:903, 2008.
707. Sullivan JP: Upper and lower full arch dental reconstruction with implant supported overdentures: a case study. *Prim Dent J* 2:28, 2013.
708. Sumbullu MA, Caglayan F, Akgul HM, et al: Radiological examination of the articular eminence morphology using cone beam CT. *Dentomaxillofac Radiol* 41:234, 2012.
709. Sun Y, Luebbers HT, Agbaje JO, et al: Accuracy of upper jaw positioning with intermediate splint fabrication after virtual planning in bimaxillary orthognathic surgery. *J Craniofac Surg* 24:1871, 2013.
710. Sun Y, Luebbers HT, Politis C: Three-dimensional virtual model surgery to fabricate the digital intermediate splint. *J Craniofac Surg* 24:563, 2013.
711. Suomalainen A, Apajalahti S, Vehmas T, et al: Availability of CBCT and iatrogenic alveolar nerve injuries. *Acta Odontol Scand* 71:151, 2013.
712. Suomalainen A, Vehmas T, Kortnesniemi M, et al: Accuracy of linear measurements using dental cone beam and conventional multislice computed tomography. *Dentomaxillofac Radiol* 37:10, 2008.
713. Suomalainen A, Venta I, Mattila M, et al: Reliability of CBCT and other radiographic methods in preoperative evaluation of lower third molars. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 109:276, 2010.
714. Suter VG, Sendi P, Reichart PA, et al: The nasopalatine duct cyst: an analysis of the relation between clinical symptoms, cyst dimensions, and involvement of neighboring anatomical structures using cone beam computed tomography. *J Oral Maxillofac Surg* 69:2595, 2011.
715. Sverzut CE, Trivellato AE, Sverzut AT, et al: Removal of a maxillary third molar accidentally displaced into the infratemporal fossa via intraoral approach under local anesthesia: report of a case. *J Oral Maxillofac Surg* 67:1316, 2009.
716. Swasty D, Lee J, Huang JC, et al: Cross-sectional human mandibular morphology as assessed in vivo by cone-beam computed tomography in patients with different vertical facial dimensions. *Am J Orthod Dentofacial Orthop* 139:e377, 2011.
717. Swennen GR, Mollemans W, Schutyser F: Three-dimensional treatment planning of orthognathic surgery in the era of virtual imaging. *J Oral Maxillofac Surg* 67:2080, 2009.
718. Tabrizi R, Zamiri B, Daneste H, et al: Outcome of bone availability after secondary alveolar bone graft in two age groups. *J Craniofac Surg* 24:e565, 2013.
719. Takane M, Sato S, Suzuki K, et al: Clinical application of cone beam computed tomography for ideal absorbable membrane placement in interproximal bone defects. *J Oral Sci* 52:63, 2010.

720. Takeshita K, Funaki K, Jimbo R, et al: Nasopalatine duct cyst developed in association with dental implant treatment: A case report and histopathological observation. *J Oral Maxillofac Pathol* 17:319, 2013.
721. Tantanapornkul W, Okochi K, Bhakdinaronk A, et al: Correlation of darkening of impacted mandibular third molar root on digital panoramic images with cone beam computed tomography findings. *Dentomaxillofac Radiol* 38:11, 2009.
722. Tantanapornkul W, Okouchi K, Fujiwara Y, et al: A comparative study of cone-beam computed tomography and conventional panoramic radiography in assessing the topographic relationship between the mandibular canal and impacted third molars. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 103:253, 2007.
723. Taschieri S, Fabbro MD, Corbella S, et al: Endoscopic minimally invasive management of a periradicular lesion invading the maxillary sinus. *J Oral Sci* 53:533, 2011.
724. Tecco S, Saccucci M, Nucera R, et al: Condylar volume and surface in Caucasian young adult subjects. *BMC Med Imaging* 10:28, 2010.
725. Tee YL: Minimally invasive surgical placements of nonsubmerged dental implants: a case series report, evaluation of the surgical technique and complications. *J Oral Implantol* 37:579, 2011.
726. Temmerman A, Hertele S, Teughels W, et al: Are panoramic images reliable in planning sinus augmentation procedures? *Clin Oral Implants Res* 22:189, 2011.
727. Tetradis S, Anstey P, Graff-Radford S: Cone beam computed tomography in the diagnosis of dental disease. *J Calif Dent Assoc* 38:27, 2010.
728. Thomas SL: Application of cone-beam CT in the office setting. *Dent Clin North Am* 52:753, 2008.
729. Tischler M: In-office cone beam computerized tomography: technology review and clinical examples. *Dent Today* 27:102, 2008.
730. Tischler M: Treatment planning implant dentistry: an overview for the general dentist. *Gen Dent* 58:368, 2010.
731. Tischler M, Ganz SD: The CT/CBCT-based team approach to care: Part 2: communication with the surgeon to support the final prosthesis. *Dent Today* 31:108, 2012.
732. Tischler M, Ganz SD: The CT/CBCT-based team approach to care. Part 3: Identifying prosthetic options through team communication. *Dent Today* 31:56, 2012.
733. Tischler M, Ganz SD: The CT/CBCT-based team approach to care. Part I: Identifying the implant patient and prosthetic options. *Dent Today* 31:74, 2012.
734. Tiwana PS, Kushner GM: Management of impacted teeth in children. *Oral Maxillofac Surg Clin North Am* 17:365, 2005.
735. Tolstunov L: Implant-guided Volumetric Analysis of Edentulous Maxillary Bone With Cone Beam CT Scan. Maxillary Sinus Pneumatization Classification. *J Oral Implantol*, 2012.
736. Tolstunov L, Javid B, Keyes L, et al: Pericoronar ostectomy: an alternative surgical technique for management of mandibular third molars in close proximity to the inferior alveolar nerve. *J Oral Maxillofac Surg* 69:1858, 2011.
737. Tolstunov L, Thai D, Arellano L: Implant-guided volumetric analysis of edentulous maxillary bone with cone-beam computerized tomography scan. Maxillary sinus pneumatization classification. *J Oral Implantol* 38:377, 2012.

738. Torres SR, Chen CS, Leroux BG, et al: Mandibular cortical bone evaluation on cone beam computed tomography images of patients with bisphosphonate-related osteonecrosis of the jaw. *Oral Surg Oral Med Oral Pathol Oral Radiol* 113:695, 2012.
739. Torres SR, Chen CS, Leroux BG, et al: Fractal dimension evaluation of cone beam computed tomography in patients with bisphosphonate-associated osteonecrosis. *Dentomaxillofac Radiol* 40:501, 2011.
740. Trautmann F, Moura P, Fernandes TL, et al: Myositis ossificans traumatica of the medial pterygoid muscle: a case report. *J Oral Sci* 52:485, 2010.
741. Treister NS, Friedland B, Woo SB: Use of cone-beam computerized tomography for evaluation of bisphosphonate-associated osteonecrosis of the jaws. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 109:753, 2010.
742. Trindade-Suedam IK, da Silva Filho OG, Carvalho RM, et al: Timing of alveolar bone grafting determines different outcomes in patients with unilateral cleft palate. *J Craniofac Surg* 23:1283, 2012.
743. Troeltzsch M, Liedtke J, Troeltzsch V, et al: Odontoma-associated tooth impaction: accurate diagnosis with simple methods? Case report and literature review. *J Oral Maxillofac Surg* 70:e516, 2012.
744. Tsiklakis K: Cone beam computed tomographic findings in temporomandibular joint disorders. *Alpha Omegan* 103:68, 2010.
745. Tsiklakis K, Syriopoulos K, Stamatakis HC: Radiographic examination of the temporomandibular joint using cone beam computed tomography. *Dentomaxillofac Radiol* 33:196, 2004.
746. Tso HH, Lee JS, Huang JC, et al: Evaluation of the human airway using cone-beam computerized tomography. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 108:768, 2009.
747. Tucker S, Cevidanes LH, Styner M, et al: Comparison of actual surgical outcomes and 3-dimensional surgical simulations. *J Oral Maxillofac Surg* 68:2412, 2010.
748. Turbush SK, Turkyilmaz I: Accuracy of three different types of stereolithographic surgical guide in implant placement: an in vitro study. *J Prosthet Dent* 108:181, 2012.
749. Turkoglu K, Orhan K, Demir P, et al: Primary ciliary dyskinesia: Kartagener syndrome with central giant cell granuloma. A case report. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 110:e49, 2010.
750. Tuzi A, Di Bari R, Cicconetti A: 3D imaging reconstruction and impacted third molars: case reports. *Ann Stomatol (Roma)* 3:123, 2012.
751. Umanjec-Korac S, Wu G, Hassan B, et al: A retrospective analysis of the resorption rate of deproteinized bovine bone as maxillary sinus graft material on cone beam computed tomography. *Clin Oral Implants Res* 25:781, 2014.
752. Umar G, Obisesan O, Bryant C, et al: Elimination of permanent injuries to the inferior alveolar nerve following surgical intervention of the "high risk" third molar. *Br J Oral Maxillofac Surg* 51:353, 2013.
753. Uribe S, Rojas LA, Rosas CF: Accuracy of imaging methods for detection of bone tissue invasion in patients with oral squamous cell carcinoma. *Dentomaxillofac Radiol* 42:20120346, 2013.
754. Vajgel A, Camargo IB, Willmersdorf RB, et al: Comparative finite element analysis of the biomechanical stability of 2.0 fixation plates in atrophic mandibular fractures. *J Oral Maxillofac Surg* 71:335, 2013.

755. Valladares-Neto J, Silva MA, Bumann A, et al: Effects of mandibular advancement surgery combined with minimal maxillary displacement on the volume and most restricted cross-sectional area of the pharyngeal airway. *Int J Oral Maxillofac Surg* 42:1437, 2013.
756. Van Assche N, van Steenberghe D, Guerrero ME, et al: Accuracy of implant placement based on pre-surgical planning of three-dimensional cone-beam images: a pilot study. *J Clin Periodontol* 34:816, 2007.
757. Van Assche N, van Steenberghe D, Quirynen M, et al: Accuracy assessment of computer-assisted flapless implant placement in partial edentulism. *J Clin Periodontol* 37:398, 2010.
758. van de Loo S, Kessler P, Lethaus B: Spontaneous transmaxillary-transnasal implant loss: a case report. *Implant Dent* 22:117, 2013.
759. van den Bergh B, Goey Y, Forouzanfar T: Postoperative radiographs after maxillofacial trauma: Sense or nonsense? *Int J Oral Maxillofac Surg* 40:1373, 2011.
760. Van der Meer WJ, Raghoobar GM, Gerrits PO, et al: Digitally designed surgical guides for placing implants in the nasal floor of dentate patients: a series of three cases. *Int J Prosthodont* 25:245, 2012.
761. van der Zel JM: Implant planning and placement using optical scanning and cone beam CT technology. *J Prosthodont* 17:476, 2008.
762. Vandeweghe S, De Ferrer R, Tschakaloff A, et al: A wide-body implant as an alternative for sinus lift or bone grafting. *J Oral Maxillofac Surg* 69:e67, 2011.
763. Venosta D, Sun Y, Matthews F, et al: Evaluation of two dental registration-splint techniques for surgical navigation in cranio-maxillofacial surgery. *J Craniomaxillofac Surg* 42:448, 2014.
764. Venturin JS, Shintaku WH, Shigeta Y, et al: Temporomandibular joint condylar abnormality: evaluation, treatment planning, and surgical approach. *J Oral Maxillofac Surg* 68:1189, 2010.
765. Vera C, De Kok IJ, Chen W, et al: Evaluation of post-implant buccal bone resorption using cone beam computed tomography: a clinical pilot study. *Int J Oral Maxillofac Implants* 27:1249, 2012.
766. Vera C, De Kok IJ, Reinhold D, et al: Evaluation of buccal alveolar bone dimension of maxillary anterior and premolar teeth: a cone beam computed tomography investigation. *Int J Oral Maxillofac Implants* 27:1514, 2012.
767. Verdugo F, Simonian K, Frydman A, et al: Long-term block graft stability in thin periodontal biotype patients: a clinical and tomographic study. *Int J Oral Maxillofac Implants* 26:325, 2011.
768. Verhamme LM, Meijer GJ, Boumans T, et al: A Clinically Relevant Accuracy Study of Computer-Planned Implant Placement in the Edentulous Maxilla Using Mucosa-Supported Surgical Templates. *Clin Implant Dent Relat Res*, 2013.
769. Verhamme LM, Meijer GJ, Boumans T, et al: A clinically relevant validation method for implant placement after virtual planning. *Clin Oral Implants Res*, 2012.
770. Veyre-Goulet S, Fortin T, Thierry A: Accuracy of linear measurement provided by cone beam computed tomography to assess bone quantity in the posterior maxilla: a human cadaver study. *Clin Implant Dent Relat Res* 10:226, 2008.
771. Villanueva-Alcojol L, Monje F, Gonzalez-Garcia R, et al: Characteristics of newly formed bone in sockets augmented with cancellous porous bovine bone and a resorbable

- membrane: microcomputed tomography, histologic, and resonance frequency analysis. *Implant Dent* 22:380, 2013.
772. Vinicius de Oliveira M, de Moraes PH, Olate S, et al: Morphometric study of mandibular ramus related to sagittal ramus split osteotomy and osteosynthesis. *J Craniofac Surg* 23:1484, 2012.
773. Von Arx T, Bornstein MM: [The patent nasopalatine duct. A rare anomaly and diagnostic pitfall]. *Schweiz Monatsschr Zahnmed* 119:379, 2009.
774. Voss PJ, Metzger MC, Schulze D, et al: Anterior lingual mandibular bone cavity as a diagnostic challenge: two case reports. *J Oral Maxillofac Surg* 68:201, 2010.
775. Waasdorp J, Reynolds M: Nonsurgical treatment of retrograde peri-implantitis: a case report. *Int J Oral Maxillofac Implants* 25:831, 2010.
776. Walker L, Enciso R, Mah J: Three-dimensional localization of maxillary canines with cone-beam computed tomography. *Am J Orthod Dentofacial Orthop* 128:418, 2005.
777. Wallowy P, Dorow A: Lateral augmentation of the maxilla and mandible using framework technique with allogeneic bone grafts. *J Oral Implantol* 38:661, 2012.
778. Walter C, Dagassan-Berndt DC, Kuhl S, et al: Is furcation involvement in maxillary molars a predictor for subsequent bone augmentation prior to implant placement? A pilot study. *Clin Oral Implants Res*, 2013.
779. Walter C, Kaner D, Berndt DC, et al: Three-dimensional imaging as a pre-operative tool in decision making for furcation surgery. *J Clin Periodontol* 36:250, 2009.
780. Wang B, Shen G, Fang B, et al: Augmented corticotomy-assisted presurgical orthodontics of class III malocclusions: a cephalometric and cone-beam computed tomography study. *J Craniofac Surg* 24:1886, 2013.
781. Wang H, Qi S, Wang J, et al: [Detection to changes in hyoid and tongue positions, and pharyngeal airway following mandibular setback surgery by cone beam CT]. *Hua Xi Kou Qiang Yi Xue Za Zhi* 30:650, 2012.
782. Wang P, Yan XB, Liu DG, et al: Evaluation of dental root fracture using cone-beam computed tomography. *Chin J Dent Res* 13:31, 2010.
783. Wang YC, Liao YF, Chen PK: Outcome of gingivoperiosteoplasty for the treatment of alveolar clefts in patients with unilateral cleft lip and palate. *Br J Oral Maxillofac Surg* 51:650, 2013.
784. Wang ZH, Jiang L, Zhao YP, et al: [Investigation on radiographic signs of osteoarthritis in temporomandibular joint with cone beam computed tomography in adolescents]. *Beijing Da Xue Xue Bao* 45:280, 2013.
785. Watanabe H, Deguchi T, Hasegawa M, et al: Orthodontic miniscrew failure rate and root proximity, insertion angle, bone contact length, and bone density. *Orthod Craniofac Res* 16:44, 2013.
786. Wen C, Li G, Ren J, et al: [Evaluation of cone-beam CT in diagnosis of supernumerary teeth in the anterior maxilla]. *Hua Xi Kou Qiang Yi Xue Za Zhi* 30:399, 2012.
787. West GH, Griggs JA, Chandran R, et al: Treatment outcomes with the use of maxillomandibular fixation screws in the management of mandible fractures. *J Oral Maxillofac Surg* 72:112, 2014.
788. White SC, Pharoah MJ: The evolution and application of dental maxillofacial imaging modalities. *Dent Clin North Am* 52:689, 2008.

789. Wilde F, Heufelder M, Lorenz K, et al: Prevalence of cone beam computed tomography imaging findings according to the clinical stage of bisphosphonate-related osteonecrosis of the jaw. *Oral Surg Oral Med Oral Pathol Oral Radiol* 114:804, 2012.
790. Wilhelm KE, Rudorf H, Greschus S, et al: Cone-Beam Computed Tomography (CBCT) dacryocystography for imaging of the nasolacrimal duct system. *Klin Neuroradiol* 19:283, 2009.
791. Wolner-Hanssen AB, Pozzi E, Vajtai I, et al: [Interradicular course of the inferior alveolar nerve at the mandibular right third molar and monostotic fibrous dysplasia affecting the mandibular left third molar in the same patient. A case report]. *Schweiz Monatsschr Zahnmed* 119:489, 2009.
792. Wortche R, Hassfeld S, Lux CJ, et al: Clinical application of cone beam digital volume tomography in children with cleft lip and palate. *Dentomaxillofac Radiol* 35:88, 2006.
793. Worthington P, Rubenstein J, Hatcher DC: The role of cone-beam computed tomography in the planning and placement of implants. *J Am Dent Assoc* 141 Suppl 3:19S, 2010.
794. Wriedt S, Jaklin J, Al-Nawas B, et al: Impacted upper canines: examination and treatment proposal based on 3D versus 2D diagnosis. *J Orofac Orthop* 73:28, 2012.
795. Wu Y, Long X, Fang W, et al: Management of paediatric mandibular condylar fractures with screw-based semi-rigid intermaxillary fixation. *Int J Oral Maxillofac Surg* 41:55, 2012.
796. Xi T, van Loon B, Fudalej P, et al: Validation of a novel semi-automated method for three-dimensional surface rendering of condyles using cone beam computed tomography data. *Int J Oral Maxillofac Surg* 42:1023, 2013.
797. Xiao E, Zhang Y, An J, et al: Long-term evaluation of the stability of reconstructed condyles by transport distraction osteogenesis. *Int J Oral Maxillofac Surg* 41:1490, 2012.
798. Xie Z, Li G, Guo J: [Anthropometric analysis of the mandible morphology in young females with different vertical skeletal pattern]. *Hua Xi Kou Qiang Yi Xue Za Zhi* 30:299, 2012.
799. Xu Y, Zhao S, Shi J, et al: 3-dimensional computed tomographic analysis of the pharynx in adult patients with unrepaired isolated cleft palate. *J Oral Maxillofac Surg* 71:1424, 2013.
800. Y Baena RR, Lupi SM, Pastorino R, et al: Radiographic evaluation of regenerated bone following poly(lactic-co-glycolic) acid/hydroxyapatite and deproteinized bovine bone graft in sinus lifting. *J Craniofac Surg* 24:845, 2013.
801. Yim JH, Ryu DM, Lee BS, et al: Analysis of digitalized panorama and cone beam computed tomographic image distortion for the diagnosis of dental implant surgery. *J Craniofac Surg* 22:669, 2011.
802. Yong LT: Single stage immediate implant placements in the esthetic zone. *J Oral Implantol* 38:738, 2012.
803. Yoo JY, Choi BJ, Kwon YD, et al: Osteochondroma of the mandibular condyle: surgical excision followed by occlusal stabilization. *J Craniofac Surg* 23:480, 2012.
804. Yoon SJ, Wang RF, Na HJ, et al: Normal range of facial asymmetry in spherical coordinates: a CBCT study. *Imaging Sci Dent* 43:31, 2013.
805. Yoshimine S, Nishihara K, Nozoe E, et al: Topographic analysis of maxillary premolars and molars and maxillary sinus using cone beam computed tomography. *Implant Dent* 21:528, 2012.

806. Zekry A, Wang R, Chau AC, et al: Facial alveolar bone wall width - a cone-beam computed tomography study in Asians. *Clin Oral Implants Res* 25:194, 2014.
807. Zhang W, Shen G, Wang X, et al: Evaluation of alveolar bone grafting using limited cone beam computed tomography. *Oral Surg Oral Med Oral Pathol Oral Radiol* 113:542, 2012.
808. Zhang XY, Xu TM: [Evaluation of craniofacial asymmetry based on cone-beam CT image]. *Beijing Da Xue Xue Bao* 45:156, 2013.
809. Zhang ZL, Cheng JG, Li G, et al: Measurement accuracy of temporomandibular joint space in Promax 3-dimensional cone-beam computerized tomography images. *Oral Surg Oral Med Oral Pathol Oral Radiol* 114:112, 2012.
810. Zhao Y, Nguyen M, Gohl E, et al: Oropharyngeal airway changes after rapid palatal expansion evaluated with cone-beam computed tomography. *Am J Orthod Dentofacial Orthop* 137:S71, 2010.
811. Zhou W, Li W, Lin J, et al: Tooth lengths of the permanent upper incisors in patients with cleft lip and palate determined with cone beam computed tomography. *Cleft Palate Craniofac J* 50:88, 2013.
812. Ziegler CM, Klimowicz TR: A comparison between various radiological techniques in the localization and analysis of impacted and supernumerary teeth. *Indian J Dent Res* 24:336, 2013.
813. Zinser MJ, Mischkowski RA, Sailer HF, et al: Computer-assisted orthognathic surgery: feasibility study using multiple CAD/CAM surgical splints. *Oral Surg Oral Med Oral Pathol Oral Radiol* 113:673, 2012.
814. Zizelmann C, Bucher P, Rohner D, et al: Virtual restoration of anatomic jaw relationship to obtain a precise 3D model for total joint prosthesis construction for treatment of TMJ ankylosis with open bite. *Int J Oral Maxillofac Surg* 39:1012, 2010.
815. Zizelmann C, Gellrich NC, Metzger MC, et al: Computer-assisted reconstruction of orbital floor based on cone beam tomography. *Br J Oral Maxillofac Surg* 45:79, 2007.
816. Zizelmann C, Hammer B, Gellrich NC, et al: An evaluation of face-bow transfer for the planning of orthognathic surgery. *J Oral Maxillofac Surg* 70:1944, 2012.
817. Zou H, Lai RF, Kong WD, et al: [Evaluation of the implant sites of palatal implants using cone beam computed tomography]. *Zhonghua Kou Qiang Yi Xue Za Zhi* 44:404, 2009.